

# **Beta** — EASY —

range  
**2020**



by  
 **Beta**

[www.beta-tools.com](http://www.beta-tools.com)

Promotion valid until 31/12/2020. Prices do not include V.A.T.

**903E/C42**

009031042

**1/4"**

**Assortment of 13 hexagon sockets,  
18 bits, 4 offset hexagon key wrenches  
and 7 accessories, in plastic case**

|  |          |   |                                       |
|--|----------|---|---------------------------------------|
|  | C900     | ○ | 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm |
|  | 900E/55  | ⊕ |                                       |
|  | C900/25  |   |                                       |
|  | C900/20  |   | 50 mm                                 |
|  | C900/20L |   | 100 mm                                |
|  | C900/42  |   | 115 mm                                |
|  | C900/30  |   | 150 mm                                |
|  | 96       | ○ | 1,3-1,5-2-2,5 mm                      |
|  | C900AD   | ⊕ | 1/4"                                  |
|  | 861LP    | ⊕ | 0,6x4-0,8x5,5-1,2x6,5 mm              |
|  | 861PH    | ⊕ | PH1-PH2-PH3                           |
|  | 861PZ    | ⊕ | PZ1-PZ2-PZ3                           |
|  | 861PE    | ○ | 3-4-5-6 mm                            |
|  | 861TX    | ⊕ | T10-T15-T20-T25-T30                   |

~~£ 82,00~~  
**£ 41,00**

190x160x60 mm



**860EA/31**

008600992

**1/4"** ⊕ ⊕ ⊕ ⊕ ⊕ ⊕

**Set of 30 bits with magnetic bit holder,  
in plastic case**

|  |       |   |                                                |
|--|-------|---|------------------------------------------------|
|  | 861LP | ⊕ | 0,5x3-0,6x4,5-0,8x5,5-1,0x5,5-1,2x6,5-1,6x8 mm |
|  | 861PH | ⊕ | PH1-PH2-PH3                                    |
|  | 861PZ | ⊕ | PZ1-PZ-PZ3                                     |
|  | 861PE | ○ | 2-3-4-5-6-8 mm                                 |
|  | 861TX | ⊕ | T8-T9-T10-T15-T20-T25-T27-T30-T40              |
|  | 861PQ | ○ | 1-2-3 mm                                       |
|  | 882M1 | ○ | 1/4 - 1/4                                      |

~~£ 33,50~~  
**£ 16,75**

100x60x30 mm



**1256/C21-1**

012560122

**4 mm** ⊕ ⊕ ⊕ ⊕ ⊕ ⊕

**Set of 21 bits with magnetic bit holder,  
in plastic case**

|  |         |   |                            |
|--|---------|---|----------------------------|
|  | 1256LP  | ⊕ | 1,5-2-2,5 mm               |
|  | 1256PH  | ⊕ | PH0-PH1                    |
|  | 1256PZ  | ⊕ | PZ0-PZ1                    |
|  | 1256PE  | ○ | 0,7-0,9-1,3-1,5-2-2,5-3 mm |
|  | 1256TX  | ⊕ | T4-T5-T6-T7                |
|  | 1256RTX | ⊕ | T8-T10-T15                 |
|  | 4 mm    |   | 99 mm                      |

~~£ 26,00~~  
**£ 13,00**

100x60x30 mm



**New Item**



## 923E-PE/C18

009231028

**1/2"** 

Assortment of 18 sockets drivers  
for hexagon screws,  
in plastic case

|                                                                                   |           |                                                                                   |                                |
|-----------------------------------------------------------------------------------|-----------|-----------------------------------------------------------------------------------|--------------------------------|
|  | C920PE    |  | 4-5-6-7-8-10-12<br>14-17-19 mm |
|  | C920PE-L  |  | 4-5-6-7-8 mm                   |
|  | C920PE-XL |  | 10-12-14 mm                    |

 285x210x84 mm



~~£ 130,00~~  
**£ 65,00**

## 923E-TX/C18

009231018

**1/2"** 

Assortment of 18 sockets drivers  
for Torx® head screws,  
in plastic case

|                                                                                     |           |                                                                                     |                                             |
|-------------------------------------------------------------------------------------|-----------|-------------------------------------------------------------------------------------|---------------------------------------------|
|  | C920TX    |  | T20-T25-T27-T30-T40-<br>T45-T50-T55-T60-T70 |
|  | C920TX-L  |  | T20-T25-T27-T30-T40                         |
|  | C920TX-XL |  | T45-T50-T55                                 |

 285x210x84 mm



~~£ 113,00~~  
**£ 56,50**

## 923E-FTX/C17

009231017

**1/2"**  

Assortment of 17 hand sockets  
for Torx® head screws,  
in plastic case

|                                                                                     |         |                                                                                     |                                         |
|-------------------------------------------------------------------------------------|---------|-------------------------------------------------------------------------------------|-----------------------------------------|
|  | C920FTX |  | E10-E12-E14-E16-E18-E20-<br>E22-E24     |
|  | C920TX  |  | T20-T25-T27-T30-T40-T45-<br>T50-T55-T60 |

 285x210x84 mm



~~£ 82,00~~  
**£ 41,00**

**913E/C33**

009131033

**3/8"**



**Assortment of 28 hexagon sockets  
and 5 accessories,  
in plastic case**

~~£ 136,00~~  
**£ 68,00**

|  |          |                 |                                                      |
|--|----------|-----------------|------------------------------------------------------|
|  | C910A    | ○               | 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24 mm |
|  | C910AL   | ○               | 8-9-10-12-13-14-17-19 mm                             |
|  | C956E    | ○               | 16 mm (5/8")<br>21 mm (13/16")                       |
|  | 910E/55  | ⊗               |                                                      |
|  | C910/25  |                 |                                                      |
|  | C910/21  |                 | 75 mm                                                |
|  | C910/22  |                 | 150 mm                                               |
|  | C920/15F | □ 1/2" - ■ 3/8" |                                                      |

285x210x84 mm



**923E/C25**

009231025

**1/2"**



**Assortment of 20 hexagon sockets  
and 5 accessories,  
in plastic case**

~~£ 160,00~~  
**£ 80,00**

|  |          |                 |                                                              |
|--|----------|-----------------|--------------------------------------------------------------|
|  | C920A    | ○               | 8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm |
|  | 920E/55  | ⊗               |                                                              |
|  | C920/25  |                 |                                                              |
|  | C920/21  |                 | 125 mm                                                       |
|  | C920/22  |                 | 250 mm                                                       |
|  | C910/16F | □ 3/8" - ■ 1/2" |                                                              |

285x210x84 mm





**928E/C17**

009282017

**3/4"**



Assortment of 12 hexagon sockets and 5 accessories, in plastic case

£ 472,00  
**£ 236,00**

|  |         |   |                                        |
|--|---------|---|----------------------------------------|
|  | C928A   | ○ | 22-24-27-30-32-34-36-38-41-46-50-55 mm |
|  | C928/55 | ⊗ |                                        |
|  | C928/25 |   |                                        |
|  | C928/21 |   | 100 mm                                 |
|  | C928/22 |   | 200 mm                                 |
|  | C928/42 |   | 455 mm                                 |

555x370x92 mm



**903E/C98**

009031098

**1/4" 1/2"**



Assortment of 45 hexagon sockets, 35 bits, 4 offset hexagon key wrenches and 14 accessories, in plastic case

£ 272,00  
**£ 136,00**

**1/4"**

|  |          |   |                                       |
|--|----------|---|---------------------------------------|
|  | C900     | ○ | 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm |
|  | C900L    | ○ | 6-7-8-9-10-11-12-13 mm                |
|  | 900E/55  | ⊗ |                                       |
|  | C900/25  |   |                                       |
|  | C900/20  |   | 50 mm                                 |
|  | C900/20L |   | 100 mm                                |
|  | C900/30  |   | 150 mm                                |
|  | C900/42  |   | 115 mm                                |

**1/2"**

|  |         |   |                                                       |
|--|---------|---|-------------------------------------------------------|
|  | C920A   | ○ | 10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32 mm |
|  | C920L   | ○ | 14-15-17-19-22 mm                                     |
|  | C956C   | ○ | 16 mm (5/8") - 21 mm (13/16")                         |
|  | 920E/55 | ⊗ |                                                       |
|  | C920/25 |   |                                                       |
|  | C920/21 |   | 125 mm                                                |
|  | C920/22 |   | 250 mm                                                |

|  |          |   |              |
|--|----------|---|--------------|
|  | C910/16F | □ | 3/8" - 1/2"  |
|  | C895/6   | □ | 1/2" - 5/16" |
|  | C900AD   | ⊗ | 1/4"         |
|  | 892/0    | ● | 1/4" - 1/4"  |

375x295x84 mm



|  |        |   |                          |
|--|--------|---|--------------------------|
|  | 861PH  | ⊕ | PH1-PH2                  |
|  | 861PZ  | ⊕ | PZ1-PZ2                  |
|  | 861PE  | ○ | 3-4-5-6 mm               |
|  | 861LP  | ● | 0,6x4-0,8x5,5-1,2x6,5 mm |
|  | 861TX  | ⊗ | T10-T15-T20-T25-T27-T30  |
|  | C866LP | ● | 1,6x8-1,6x10-2,0x12 mm   |
|  | C866PH | ⊕ | PH3-PH4                  |
|  | C866PZ | ⊕ | PZ3-PZ4                  |
|  | 866PE  | ○ | 7-8-10-12-14 mm          |
|  | 866TX  | ⊗ | T40-T45-T50-T55-T60-T70  |
|  | 96     | ○ | 1,3-1,5-2-2,5 mm         |

**903E/C170**

009031170

**1/4" 3/8" 1/2"**

**Assortment of 74 hexagon sockets,  
42 bits, 30 socket drivers,  
7 offset hexagon key wrenches  
and 17 accessories,  
in plastic case**



~~£ 505,00~~  
**£ 252,50**

453x375x90 mm



**1/4"**

|  |          |   |                                       |
|--|----------|---|---------------------------------------|
|  | C900     | ○ | 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm |
|  | C900L    | ○ | 4-5-6-7-8-9-10 mm                     |
|  | 900E/55  | ⊗ |                                       |
|  | C900/25  |   |                                       |
|  | C900/20  |   | 50 mm                                 |
|  | C900/20L |   | 100 mm                                |
|  | C900/30  |   | 150 mm                                |
|  | C900/42  |   | 115 mm                                |
|  | C900FTX  | ⊗ | E4-E5-E6-E7-E8                        |
|  | C900LP   | ⊗ | 0,8x4-1,0x5,5-1,2x6,5-1,2x8 mm        |
|  | C900PH   | ⊕ | PH0-PH1-PH2                           |
|  | C900PZ   | ⊕ | PZ0-PZ1-PZ2                           |
|  | C900ME   | ○ | 3-4-5-6 mm                            |
|  | C900TX   | ⊗ | T08-T09-T10-T15-T20-T25-T27-T30       |
|  | C900RTX  | ⊗ | T08-T09-T10-T15-T20-T25-T27-T30       |

**1/2"**

|  |          |                 |                                                       |
|--|----------|-----------------|-------------------------------------------------------|
|  | C920A    | ○               | 10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32 mm |
|  | C920L    | ○               | 16-17-18-19-22 mm                                     |
|  | C920FTX  | ⊗               | E18-E20-E24                                           |
|  | C956C    | ○               | 16 mm (5/8") - 21 mm (13/16")                         |
|  | 920E/55  | ⊗               |                                                       |
|  | C920/25  |                 |                                                       |
|  | C920/21  |                 | 125 mm                                                |
|  | C920/22  |                 | 250 mm                                                |
|  | C910/16F | □ 3/8" - ■ 1/2" |                                                       |

**3/8"**

|  |         |   |                                  |
|--|---------|---|----------------------------------|
|  | C910A   | ○ | 10-11-12-13-14-15-16-17-18-19 mm |
|  | C910AL  | ○ | 10-11-12-13-14-15 mm             |
|  | C910FTX | ⊗ | E10-E11-E12-E14-E16              |
|  | C956E   | ○ | 18 mm (11/16")                   |
|  | 910E/55 | ⊗ |                                  |
|  | C910/25 |   |                                  |
|  | C910/22 |   | 150 mm                           |

|  |         |                                   |                        |
|--|---------|-----------------------------------|------------------------|
|  | 96      | ○                                 | 0,9-1,5-2-2,5-3-4-5 mm |
|  | C895/4  | □ 3/8" - ○ 5/16"                  |                        |
|  | C895/6  | □ 1/2" - ○ 5/16"                  |                        |
|  | C900AD  | ⊗ - 1/4"                          |                        |
|  | 892/0   | ⊗ - 1/4"                          |                        |
|  | 861RTX  | ⊗ T09-T10-T15-T20-T25-T27-T30-T40 |                        |
|  | 861TX   | ⊗ T6-T7-T8                        |                        |
|  | 861RIBE | ⊗ 7-8-9 mm                        |                        |
|  | 861XZN  | ⊗ 5-6-8 mm                        |                        |
|  | C866LP  | ⊗ 1,6x8-1,6x10-2,0x12 mm          |                        |
|  | C866PH  | ⊕ PH3-PH4                         |                        |
|  | C866PZ  | ⊕ PZ3-PZ4                         |                        |
|  | 866PE   | ○ 7-8-10-12-14 mm                 |                        |
|  | 866TX   | ⊗ T40-T45-T50-T55-T60-T70         |                        |
|  | 866RTX  | ⊗ T40-T45-T50-T55-T60-T70         |                        |



**2046E/C116**

020460116

**1/4" 1/2"**

**Tool case with assortment  
of 116 general maintenance tools,  
made of plastic**

~~£ 547,00~~  
**£ 273,50**



453x375x90 mm

**1/4"**

|  |          |   |                                       |
|--|----------|---|---------------------------------------|
|  | C900     | ○ | 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm |
|  | C900L    | ○ | 6-7-8-9-10-11-12-13 mm                |
|  | 900E/55  | ⊕ |                                       |
|  | C900/25  |   |                                       |
|  | C900/20  |   | 50 mm                                 |
|  | C900/20L |   | 100 mm                                |
|  | C900/30  |   | 150 mm                                |
|  | C900/42  |   | 115 mm                                |

**1/2"**

|  |          |   |                                                       |
|--|----------|---|-------------------------------------------------------|
|  | C920A    | ○ | 10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32 mm |
|  | C920L    | ○ | 14-15-17-19-22 mm                                     |
|  | C956C    | ○ | 16 mm (5/8") - 21 mm (13/16")                         |
|  | 920E/55  | ⊕ |                                                       |
|  | C920/25  |   |                                                       |
|  | C920/21  |   | 125 mm                                                |
|  | C920/22  |   | 250 mm                                                |
|  | C910/16F | □ | 3/8" - 1/2"                                           |
|  | C895/6F  | □ | 1/2" - 5/16"                                          |

|  |        |                 |                                        |
|--|--------|-----------------|----------------------------------------|
|  | C900AD | ⊕ 1/4"          |                                        |
|  | 892/0  | ● 1/4" - ■ 1/4" |                                        |
|  | 861PH  | ⊕ 1/4"          | PH1-PH2                                |
|  | 861PZ  | ⊕ 1/4"          | PZ1-PZ2                                |
|  | 861PE  | ○ 1/4"          | 3-4-5-6 mm                             |
|  | 861LP  | ● 1/4"          | 0,6x4-0,8x5,5-1,2x6,5 mm               |
|  | 861TX  | ⊕ 1/4"          | T10-T15-T20-T25-T27-T30                |
|  | C866LP | ● 1/4"          | 1,6x8-1,6x10-2,0x12 mm                 |
|  | C866PH | ⊕ 1/4"          | PH3-PH4                                |
|  | C866PZ | ⊕ 1/4"          | PZ3- PZ4                               |
|  | 866PE  | ○ 1/4"          | 7-8-10-12-14 mm                        |
|  | 866TX  | ⊕ 1/4"          | T40-T45-T50-T55-T60-T70                |
|  | 42C    | ⊕ 1/4"          | 7-8-9-10-11-12-13-14-15-16-17-18-19 mm |
|  | 96/SC9 | ○ 1/4"          | 1,5-2-2,5-3-4-5-6-8-10 mm              |

**2047E/C108**

020470108

**1/4" 1/2"**

**Tool case with assortment  
of 108 general maintenance tools,  
made of plastic**

~~£ 630,00~~  
**£ 315,00**



555x370x92 mm

**1/4"**

|  |          |   |                                       |
|--|----------|---|---------------------------------------|
|  | C900     | ○ | 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm |
|  | 900E/55  | ⊕ |                                       |
|  | C900/25  |   |                                       |
|  | C900/20  |   | 50 mm                                 |
|  | C900/20L |   | 100 mm                                |
|  | C900/30  |   | 150 mm                                |
|  | C900/42  |   | 115 mm                                |

**860EA/31**

|   |       |                                                |
|---|-------|------------------------------------------------|
| ● | 861LP | 0,5x3-0,6x4-5-0,8x5,5-1,0x5,5-1,2x6,5-1,6x8 mm |
| ⊕ | 861PH | PH1-PH2-PH3                                    |
| ⊕ | 861PZ | PZ1-PZ2-PZ3                                    |
| ○ | 861PE | 2-3-4-5-6-8 mm                                 |
| ⊗ | 861TX | T8-T9-T10-T15-T20-T25-T27-T30-T40              |
| ○ | 861PQ | 1-2-3 mm                                       |
| ○ | 882M1 | ○ 1/4 - ● 1/4                                  |



**1/2"**

|  |          |                 |                                                       |
|--|----------|-----------------|-------------------------------------------------------|
|  | C920A    | ○               | 10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32 mm |
|  | C956C    | ○               | 16 mm (5/8") - 21 mm (13/16")                         |
|  | 920E/55  | ⊕               |                                                       |
|  | C920/25  |                 |                                                       |
|  | C920/21  |                 | 125 mm                                                |
|  | C920/22  |                 | 250 mm                                                |
|  | C910/16F | □ 3/8" - ■ 1/2" |                                                       |

|  |        |        |                                        |
|--|--------|--------|----------------------------------------|
|  | C900AD | ⊕ 1/4" |                                        |
|  | 42C    | ⊕      | 7-8-9-10-11-12-13-14 15-16-17-18-19 mm |
|  | 96/SC9 | ○      | 1,5-2-2,5-3-4-5-6-8-10 mm              |
|  | 1048   |        | 250 mm                                 |
|  | 1082CM | ⚡      | 160 mm                                 |
|  | 1150CM | =      | 180 mm                                 |
|  | 1166CM | ●      | 160 mm                                 |
|  | 1201   | ●      | 3x75-4x100-5,5x125 6,5x150mm           |
|  | 1202   | ⊕      | PH1-PH2                                |
|  | 1370   |        | 300 g                                  |



**2120L-E/T91-E**

021200901

**Cantilever tool box  
with assortment  
of 91 general  
maintenance tools,  
made of sheet metal**

~~£ 642,00~~  
**£ 321,00**



550x200x210 mm

**12"**



|         |   |                                                          |
|---------|---|----------------------------------------------------------|
| C920A   | ○ | 10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm |
| 920E/55 | ⊗ |                                                          |
| C920/25 |   |                                                          |



|          |                                                                                     |          |
|----------|-------------------------------------------------------------------------------------|----------|
| C920/21  | ○                                                                                   | 125 mm   |
| C920/22  |                                                                                     | 250 mm   |
| C910/16F | □ 3/8" - ■ 1/2"                                                                     |          |
| 1048     |                                                                                     | 250 mm   |
| 1771     |  | 3x 18 mm |



|        |   |                                   |
|--------|---|-----------------------------------|
| 42C    | ⊗ | 8-9-10-11-12-13-14-15-16-17-19 mm |
| 96/SC9 | ○ | 1,5-2-2,5-3-4-5-6-8-10 mm         |



|       |   |                                      |
|-------|---|--------------------------------------|
| 1201  | ● | 2,5x50-3x75-4x100-5,5x125-6,5x150 mm |
| 1201N | ● | 4x30 mm                              |



|          |               |                          |
|----------|---------------|--------------------------|
| 860EA/31 | ⊗ ⊕ ⊕ ⊕ ⊕ ⊕ ⊕ |                          |
| C900AD   | ⊗ 14"         |                          |
| C900/30  |               | 150 mm                   |
| 1202     | ⊕             | PH0x60-PH1x80-PH2x100 mm |
| 1202N    | ⊕             | PH1x30 mm                |



|        |   |        |
|--------|---|--------|
| 1082CM | ⌒ | 160 mm |
| 1150CM | ≡ | 180 mm |
| 1166CM | ● | 160 mm |

**2054E/E-100**

020540020

**1/4"**

**Tool case with assortment  
of 100 general maintenance tools**

~~£ 506,00~~  
**£ 253,00**



400x300x140 mm



**860EA/31**

|       |                                                |
|-------|------------------------------------------------|
| 861LP | 0,5x3-0,6x4,5-0,8x5,5-1,0x5,5-1,2x6,5-1,6x8 mm |
| 861PH | PH1-PH2-PH3                                    |
| 861PZ | PZ1-PZ2-PZ3                                    |
| 861PE | 2-3-4-5-6-8 mm                                 |
| 861TX | T8-T9-T10-T15-T20-T25-T27-T30-T40              |
| 861PQ | 1-2-3 mm                                       |
| 882M1 | 1/4 - 1/4                                      |



**1/4"**

|          |                                       |
|----------|---------------------------------------|
| 882P/80  | 1/4 - 1/4                             |
| 895 /1   | 1/4 - 1/4                             |
| C900     | 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm |
| C900/20  | 50 mm                                 |
| C900/20L | 100 mm                                |
| C900/25  |                                       |
| C900/30  | 150 mm                                |
| C900/42  | 110 mm                                |
| C900/48  |                                       |

|         |                                       |
|---------|---------------------------------------|
| 42C     | 6-7-8-9-10-11-12-13-14-15-16-17-19 mm |
| 96K/SP9 | 1,5-2-2,5-3-4-5-6-8-10 mm             |
| 1048    | 250 mm                                |
| 1082CM  | 160 mm                                |
| 1150CM  | 180 mm                                |
| 1166CM  | 160 mm                                |
| 1201    | 3x75 - 5,5x100 - 6,5x150 mm           |
| 1202    | PH0x60 - PH1x80 - PH2x100 mm          |
| 1253    | 3,5x100 mm                            |
| 1370    | 300 g                                 |
| 1692/3  | 3 m                                   |
| 1770A   | 9 mm                                  |
| 1770RL  | 10x                                   |
| 1777BM  | 190 mm                                |
| 1725CR  | 150 mm                                |



**2054E/E-128**

020540022

**1/4"**

**Tool case with assortment  
of 128 general maintenance tools**

~~£ 595,00~~  
**£ 297,50**



**860EA/31**

|       |                                                |
|-------|------------------------------------------------|
| 861LP | 0,5x3-0,6x4,5-0,8x5,5-1,0x5,5-1,2x6,5-1,6x8 mm |
| 861PH | PH1-PH2-PH3                                    |
| 861PZ | PZ1-PZ2-PZ3                                    |
| 861PE | 2-3-4-5-6-8 mm                                 |
| 861TX | T8-T9-T10-T15-T20-T25-T27-T30-T40              |
| 861PQ | 1-2-3 mm                                       |
| 862M1 | 1/4 - 1/4                                      |



**1256/C21-1**

|         |                            |
|---------|----------------------------|
| 1256LP  | 1,5-2-2,5 mm               |
| 1256PH  | PH0-PH1                    |
| 1256PZ  | PZ0-PZ1                    |
| 1256PE  | 0,7-0,9-1,3-1,5-2-2,5-3 mm |
| 1256TX  | T4-T5-T6-T7                |
| 1256RTX | T8-T10-T15                 |
|         | 4 mm 99 mm                 |



400x300x140 mm

**1/4"**

|          |                                    |
|----------|------------------------------------|
| 895 /1   | 1/4 - 1/4                          |
| C900     | 4-4,5-5-5,5-6-7-8-9-10-11-12-13 mm |
| C900/20L | 100 mm                             |
| C900/25  |                                    |
| C900/30  | 150 mm                             |
| C900/42  | 110 mm                             |
| C900/48  |                                    |

**3/8"**

|          |                         |
|----------|-------------------------|
| C910A    | 14-15-17-18-19-22-24 mm |
| C910/22  | 150 mm                  |
| C910/25  |                         |
| C910/72  | 18 mm (11/16")          |
| C920/15F | 1/2" - 3/8"             |

|         |                                     |
|---------|-------------------------------------|
| 42C     | 7-8-9-10-11-12-13-14-15-16-17-19 mm |
| 96K/SP9 | 1,5-2-2,5-3-4-5-6-8-10 mm           |
| 1048    | 250 mm                              |
| 1082CM  | 160 mm                              |
| 1150CM  | 180 mm                              |
| 1166CM  | 160 mm                              |
| 1128BM  | 145 mm                              |
| 1201    | 3x75 - 5,5x100 - 6,5x150 mm         |
| 1202    | PH0x60 - PH1x80 - PH2x100 mm        |
| 1370    | 300 g                               |
| 1692/3  | 3 m                                 |
| 1771    | 18 mm                               |
| 1771RL  | 10x                                 |
| 1835/1  | 145 mm                              |

**2056E/E-20**

020560111

**Tool case with  
assortment of 163 general  
maintenance tools**

- Removable tool panel
- Integrated thermoformed tool tray



**New Item**

£ 612.50  
**£ 312.50**



465x330x170 mm

**2056TE/E-20**

020560112

**Tool trolley with  
assortment of 163 general  
maintenance tools**

- Removable tool panel
- Integrated thermoformed tool tray

**New Item**



£ 645.00  
**£ 322,50**

## 1256/C21-1

|  |         |                            |
|--|---------|----------------------------|
|  | 1256LP  | 1,5-2-2,5 mm               |
|  | 1256PH  | PH0-PH1                    |
|  | 1256PZ  | PZ0-PZ1                    |
|  | 1256PE  | 0,7-0,9-1,3-1,5-2-2,5-3 mm |
|  | 1256TX  | T4-T5-T6-T7                |
|  | 1256RTX | T8-T10-T15                 |
|  |         | 4 mm 99 mm                 |



## 861/C61

|  |       |                                                                                 |
|--|-------|---------------------------------------------------------------------------------|
|  | 861LP | 0,5x3 (2)-0,5x4 (2)-0,6x4,5 (2)-0,8x5 (2)<br>1,0x5,5 (2)-1,0x6 (2)-1,6x8 (2) mm |
|  | 861PH | PH0 (2)-PH1 (7)-PH2 (7)-PH3 (2)                                                 |
|  | 861PZ | PZ0 (2)-PZ1 (3)-PZ2 (3)-PZ3 (2)                                                 |
|  | 861PE | 1,5-2-2,5-3-4-4,5-5-5,5-6-8 mm                                                  |
|  | 861TX | T9-T10-T15-T20-T25 T27-T30-T40                                                  |
|  |       | 1/4 - 1/4                                                                       |



|  |           |                                                         |
|--|-----------|---------------------------------------------------------|
|  | 42C       | 8-9-10-11-12-13-14-15-16-17-18-19 mm                    |
|  | 96BPC/SK9 | 1,5-2-2,5-3-4-5-6-8-10 mm                               |
|  | 111       | 250 mm                                                  |
|  | 1048      | 250 mm                                                  |
|  | 1082CM    | 160 mm                                                  |
|  | 1150CM    | 180 mm                                                  |
|  | 1166CM    | 160 mm                                                  |
|  | 1201      | 2,5x50 - 3x75 - 4x125 -<br>5,5x150 - 6,5x150 - 8x150 mm |
|  | 1202      | PH1x80 - PH2x100 mm                                     |
|  | 1209PZ    | PZ1x80 - PZ2x100 mm                                     |
|  | 1128BMX   | 145 mm                                                  |
|  | 1253      | 3,5x100 mm                                              |
|  | 1370      | 300 g                                                   |
|  | 1692/5    | 5 m                                                     |
|  | 1771      | 3x 18 mm                                                |
|  | 1725CR    | 150 mm                                                  |

|  |          |                                           |
|--|----------|-------------------------------------------|
|  | C920A    | 10-11-12-13-14-15-16-17-18-19-21-22-24 mm |
|  | C920/21  | 125 mm                                    |
|  | C920/22  | 250 mm                                    |
|  | C910/16F | 3/8" - 1/2"                               |
|  | C920/25  |                                           |
|  | C920/72  |                                           |

|  |          |                                       |
|--|----------|---------------------------------------|
|  | 895 /1   | 14"                                   |
|  | C900     | 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm |
|  | C900/20  | 50 mm                                 |
|  | C900/20L | 100 mm                                |
|  | C900/25  |                                       |
|  | C900/30  |                                       |
|  | C900/42  | 110 mm                                |
|  | C900/48  |                                       |



**C43**

043000003

~~£ 232,00~~  
**£ 116,00**

### Three-module tool trolley

- Sheet metal frames and plastic tops
- 3 detachable modules:  
1 upper tool box, 220 mm high  
1 central module, 165 mm high,  
with 2 drawers, 60 mm high  
1 lower module, 330 mm high,  
with up-and-over door, 280 mm high, with castors
- Castors  $\varnothing$  160 mm
- Telescopic handle, can be adjusted in 4 positions
- Module release system with access to all tool compartments
- Upper tool box with removable interior object compartment and 2 tote-trays built into cover

**New Item**



722 mm  
306 mm  
495 mm



**5943/VEX-20**

059430220

**1/4" 1/2"**

**Assortment of 146 general  
maintenance tools for C43**

~~£ 714,00~~  
**£ 357,00**



### 1256/C21-1

|  |         |                            |
|--|---------|----------------------------|
|  | 1256LP  | 1,5-2-2,5 mm               |
|  | 1256PH  | PH0-PH1                    |
|  | 1256PZ  | PZ0-PZ1                    |
|  | 1256PE  | 0,7-0,9-1,3-1,5-2-2,5-3 mm |
|  | 1256TX  | T4-T5-T6-T7                |
|  | 1256RTX | T8-T10-T15                 |
|  | 4 mm    | 99 mm                      |




### 903E/C42 1/4"

|  |          |                                       |
|--|----------|---------------------------------------|
|  | C900     | 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm |
|  | 900E/55  |                                       |
|  | C900/25  |                                       |
|  | C900/20  | 50 mm                                 |
|  | C900/20L | 100 mm                                |
|  | C900/42  | 115 mm                                |
|  | C900/30  | 150 mm                                |
|  | 96       | 1,3-1,5-2-2,5 mm                      |
|  | C900AD   | 1/4"                                  |
|  | 861LP    | 0,6x4-0,8x5,5-1,2x6,5 mm              |
|  | 861PH    | PH1-PH2-PH3                           |
|  | 861PZ    | PZ1-PZ2-PZ3                           |
|  | 861PE    | 3-4-5-6 mm                            |
|  | 861TX    | T10-T15-T20-T25-T30                   |



### 923E/C25 1/2"

|  |          |                                                              |
|--|----------|--------------------------------------------------------------|
|  | C920A    | 8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm |
|  | 920E/55  |                                                              |
|  | C920/25  |                                                              |
|  | C920/21  | 125 mm                                                       |
|  | C920/22  | 250 mm                                                       |
|  | C910/16F | 3/8" - 1/2"                                                  |



|  |           |                                        |
|--|-----------|----------------------------------------|
|  | 42C       | 7-8-9-10-11-12-13-14-15-16-17-19-22 mm |
|  | 96BPC/SK9 | 1,5-2-2,5-3-4-5-6-8-10 mm              |
|  | 111       | 200 mm                                 |
|  | 1048      | 250 mm                                 |
|  | 1044F     | 250 mm                                 |
|  | 1082CM    | 160 mm                                 |
|  | 1150CM    | 180 mm                                 |
|  | 1166CM    | 160 mm                                 |
|  | 1201      | 2,5x50-3x75-4x100-5,5x150-6,5x150 mm   |
|  | 1201N     | 4x30 mm                                |
|  | 1202      | PH0x60-PH1x80-PH2x100 mm               |
|  | 1202N     | PH1x30 mm                              |
|  | 1128BMX   | 147 mm                                 |
|  | 1370      | 300 g                                  |
|  | 1390N     | Ø 35 mm                                |
|  | 1692/3    | 3 m                                    |
|  | 1695XS    | 70 mm                                  |
|  | 1771      | 3x 18 mm                               |
|  | 1771RL    | 10x                                    |
|  | 1725CR    | 150 mm                                 |
|  | 1098      | 220 mm                                 |





## 2400E-C04BOX

024002322

### Mobile roller cab with 6 drawers, with assortment of 218 tools

- 6 drawers (570x410 mm), with ball bearing slides:  
1 drawer, 80 mm high  
4 drawers, 110 mm high  
1 drawer, 160 mm high
- Drawer bases protected by foamed rubber mats.
- Four castors, Ø 125 mm:  
2 fixed and 2 steering (two with brakes).
- Front centralised safety lock.
- Static load capacity: 150 kg.
- Polypropylene worktop.



£ 1.710,00  
**£ 721,88**



**1/4"** C900 ○ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm  
C900L ○ 6-7-8-9-10-11-12-13 mm  
C900AD ○ - 1/4"  
C900/20 50 mm  
C900/20L 100 mm  
C900/25  
C900/30 150 mm  
C900/42  
C900/48 150 mm

**1/2"** C910/16F □ 3/8" - ■ 1/2"  
C920A ○ 12-13-14-15-16-17-18-19-20-21-22-24-27-30-32 mm  
C920L ○ 14-15-17-19 mm  
C920/21 125 mm  
C920/22 250 mm  
C920/25  
C920/55 250 mm  
C956C: ○ 16 mm (5/8") - 21 mm (13/16")

861LP ○ 0,5x3(2x)-0,6x4(2x)-0,6x4,5(2x)-0,8x5,5-1x5,5(2x)-1,2x6,5-1,6x8 mm  
861PE ○ 2(2x)-2,5(2x)-3(2x)-4(2x)-5(2x)-6(2x)-8 mm  
861PH ○ 1(5x)-2(5x)-3(2x)  
861PZ ○ 1(5x)-2(5x)-3(2x)  
861TX ○ T8-T9-T10-T15-T20-T25-T27-T30-T40

861RTX ○ T7-T9-T10-T15-T20-T25-T27-T30-T40  
861RIBE ○ M5-M6-M7-M8  
861XZN ○ M5-M6-M8  
861PQ ○ 1-2-3 mm  
861TRW ○ 1-2-3-4  
861TQS ○ 2-3-4-5-6-8-10  
861SP ○ 4-6-8-10-12  
892/0 ■ 1/4 - ● 1/4

895/6 ○ 5/16 - □ 1/2  
882M1 50 mm  
866PE ○ 7-8-10-12 mm  
866TX ○ T40-T45-T50-T55  
C866LP ○ 1,6x8-1,6x10-2,0x12 mm  
C866PH ○ 3-4  
C866PZ ○ 3-4



1048 250 mm  
1370 500 g  
1390N Ø 35  
1692/3 3 m  
1771BM 18 mm

1771RL 18 mm  
31 Ø 2-3-4-5-6 mm  
1082CM 160 mm  
1150CM 180 mm  
1166CM 200 mm



42C: ○ 6-7-8-9-10-11-12-13-14-15-16-17-19-21-22-24 mm  
96BPC/SK9: ○ 1,5-2-2,5-3-4-5-6-8-10 mm  
1201: ○ 5,5x100-6,5x150 mm  
1202: ○ PH0x60-PH1x80-PH2x100 mm  
1204: ○ 4x100 mm

## 2400S-07/E-M

024002291



### Mobile roller cab with 7 drawers, with assortment of 210 tools

- 7 drawers (588x367 mm), with ball bearing slides:
  - 5 drawers, 70 mm high
  - 1 drawer, 140 mm high
  - 1 drawer, 210 mm high
- Drawer bases protected by foamed rubber mats.
- Four castors Ø 125 mm:
  - 2 fixed and 2 steering (one with brake).
- Front centralized safety lock.
- Static load capacity: 800 kg.
- Integrated side bottle holder.



Castors with metal cores for enhanced sturdiness





Sturdy nylon front

955 mm  
445 mm  
740 mm

£ 2.360,00  
**£ 1.180,00**



| n° | h      | ↓ max |
|----|--------|-------|
| 5  | 70 mm  | 25 kg |
| 1  | 140 mm | 30 kg |
| 1  | 210 mm | 30 kg |



2400S-G7/E-M

024002294



2400S-R7/E-M

024002297





**1/4"**

**C900** ○ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm  
**C900L** ○ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm  
**900E/55** Ⓢ  
**C900/25**  
**C900/20** 50 mm  
**C900/20L** 100 mm  
**C900/42** 115 mm  
**C900/30** 150 mm  
**C900ME** ○ 3-4-5-6-7-8 mm  
**C900TX** ○ T06-T07-T08-T09-T10-T15-T20-T25  
**C900AD** Ⓢ 14"

**1/2"**

**C920A** ○ 8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm  
**C920L** ○ 10-12-13-14-15-16-17-18-19-21-22 mm  
**920E/55** Ⓢ  
**C920/25**  
**C920/21** 125 mm  
**C920/22** 250 mm  
**C910/16F** □ 3/8" - ■ 1/2"  
**C920PE** ○ 5-6-7-8-9-10-12-14 mm  
**C920TX** ○ T27-T30-T40-T45-T50-T55-T60

**860EA/31** Ⓢ 14" 15" 16" 17" 18" 19" 20" 21" 22" 23" 24" 25" 26" 27" 28" 29" 30" 31" 32" 33" 34" 35" 36" 37" 38" 39" 40" 41" 42" 43" 44" 45" 46" 47" 48" 49" 50" 51" 52" 53" 54" 55" 56" 57" 58" 59" 60" 61" 62" 63" 64" 65" 66" 67" 68" 69" 70" 71" 72" 73" 74" 75" 76" 77" 78" 79" 80" 81" 82" 83" 84" 85" 86" 87" 88" 89" 90" 91" 92" 93" 94" 95" 96" 97" 98" 99" 100"



**42C** ○ 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24 mm  
**55** ○ 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22 mm  
**90** ○ 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22 mm  
**111** 250 mm



**1201** ● 2,5x50-3x75-4x100-5x125-6x150-8x200 mm  
**1201N** ● 4x30 mm  
**1202** Ⓢ PH0x60-PH1x80-PH2x100-PH3x150 mm  
**1202N** Ⓢ PH1x30 mm  
**1207TX** ○ T06-T07-T08-T09-T10-T15-T20-T25-T27-T30-T40  
**96BPC/SC9** ○ 1,5-2-2,5-3-4-5-6-8-10 mm



**1082CM** 160 mm  
**1150CM** 180 mm  
**1166CM** 200 mm  
**1032-180** ○ 19÷60 mm  
**1034-170** ○ 19÷60 mm  
**1036-175** ● 19÷60 mm  
**1038-175** ● 19÷60 mm

**1048** 250 mm  
**1370** 500 g  
**1390** Ø 35 mm  
**32** Ø 4 mm  
**34** 150 mm  
**36** 125 mm

## 2400S-07/E-L

024002292



### Mobile roller cab with 7 drawers, with assortment of 295 tools

- 7 drawers (588x367 mm), with ball bearing slides:
  - 5 drawers, 70 mm high
  - 1 drawer, 140 mm high
  - 1 drawer, 210 mm high
- Drawer bases protected by foamed rubber mats.
- Four castors Ø 125 mm:
  - 2 fixed and 2 steering (one with brake).
- Front centralized safety lock.
- Static load capacity: 800 kg.
- Integrated side bottle holder.



Castors with metal cores for enhanced sturdiness





Sturdy nylon front

955 mm  
445 mm  
740 mm

£ 2.750,00  
**£ 1.375,00**



| n° | h      | ↓ max |
|----|--------|-------|
| 5  | 70 mm  | 25 kg |
| 1  | 140 mm | 30 kg |
| 1  | 210 mm | 30 kg |



2400S-G7/E-L  
024002295



2400S-R7/E-L  
024002298





**1/4"**

**C900** ○ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm  
**C900L** ○ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm

**900E/55** ®  
**C900/25**  
**C900/20** 50 mm  
**C900/20L** 100 mm  
**C900/42** 115 mm  
**C900/30** 150 mm  
**C900ME** ○ 3-4-5-6-7-8 mm  
**C900TX** ○ T06-T07-T08-T09-T10-T15-T20-T25  
**C900AD** ® 14"

**860EA/31** ® 14" 16" 18" 20" 22" 24" 26" 28" 30" 32"

**1/2"**

**C920A** ○ 8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm  
**C920L** ○ 10-12-13-14-15-16-17-18-19-21-22 mm

**920E/55** ®  
**C920/25**  
**C920/21** 125 mm  
**C920/22** 250 mm  
**C910/16F** □ 3/8" - ■ 1/2"  
**C920PE** ○ 5-6-7-8-9-10-12-14 mm  
**C920TX** ○ T27-T30-T40-T45-T50-T55-T60



**1201** ● 2,5x50-3x75-4x100-5,5x125-6,5x150-8x200 mm  
**1201N** ● 4x30 mm  
**1202** ● PH0x60-PH1x80-PH2x100-PH3x150  
**1202N** ● PH1x30 mm  
**1207TX** ○ T06-T07-T08-T09-T10-T15-T20-T25-T27-T30-T40-T45  
**1256/C36-2**



**42C** ○ 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm  
**96BPC/SC9** ○ 1,5-2-2,5-3-4-5-6-8-10 mm



**3/8"**

**C910A** ○ 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22 mm  
**C910L** ○ 8-10-11-12-13-14-17-19 mm  
**910E/55** ®  
**C910/25**  
**C910/21** 75 mm

**C910/22** 150 mm  
**C920/15F** □ 1/2" - ■ 3/8"  
**C910PE** ○ 4-5-6-7-8-9-10 mm  
**C910TX** ○ T15-T20-T25-T27-T30-T40-T45  
**55** ○ 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22 mm  
**90** ○ 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22 mm



**1082CM** 160 mm  
**1150CM** 180 mm  
**1166CM** 200 mm  
**1032-180** ○ 19+60 mm  
**1034-170** ○ 19+60 mm  
**1036-175** ● 19+60 mm  
**1038-175** ● 19+60 mm

**1048** 250 mm  
**1370** 500 g  
**1390** Ø 35 mm  
**32** Ø 4 mm  
**34** 150 mm  
**36** 125 mm

## 2400S-08/E-XL

024002293



### Mobile roller cab with 8 drawers, with assortment of 384 tools

- 8 drawers (588x367 mm), with ball bearing slides: 7 drawers, 70 mm high 1 drawer, 210 mm high
- Drawer bases protected by foamed rubber mats.
- Four castors Ø 125 mm: 2 fixed and 2 steering (one with brake).
- Front centralized safety lock.
- Static load capacity: 800 kg.
- Integrated side bottle holder.



| n° | h      | max   |
|----|--------|-------|
| 7  | 70 mm  | 25 kg |
| 1  | 210 mm | 30 kg |

£ 3.740,00  
**£ 1.870,00**



**2400S-G8/E-XL**  
024002296



**2400S-R8/E-XL**  
024002299



30 Ø 2-3-4 mm  
31 Ø 2-3-4-5-6-8 mm  
32 Ø 4 mm  
34 150 mm  
35 200-250 mm  
1771

36 125 mm  
1370 500 g  
1390 Ø 35 mm  
1692 3 m  
1712  
1737

1719BMA/Q  
1719BMA/T  
1719BMA/P  
1719BMA/M  
1719BMA/R

■ 200 mm  
▲ 200 mm  
▮ 200 mm  
▸ 200 mm  
● 200 mm





**1/4"**

**C900** ○ 4-4,5-5,5-5,6-7-8-9-10-11-12-13-14 mm  
**C900L** ○ 4-4,5-5,5-5,6-7-8-9-10-11-12-13-14 mm  
**C900FTX** ○ E4-E5-E6-E7-E8-E10  
**900E/55** Ⓢ  
**C900/25**  
**C900/21** 50 mm  
**C900/20L** 100 mm  
**C900/30** 150 mm  
**C900/42** 115 mm  
**C900ME** ○ 3-4-5-6-7-8 mm  
**C900TX** ○ T06-T07-T08-T09-T10-T15-T20-T25  
**C900LP** ● 0,8x4-1x5,5-1,2x6,5-1,2x8 mm  
**C900PH** ○ PH0-PH1-PH2-PH3  
**C900AD** Ⓢ 14"

**3/8"**

**C910A** ○ 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24 mm  
**C910L** ○ 8-10-11-12-13-14-17-19 mm  
**C910FTX** ○ E6-E7-E8-E10-E11-E12-E14  
**910E/55** 200 mm  
**C910/25**  
**C910/21** 75 mm  
**C910/22** 150 mm  
**C920/15F** □ 1/2" - ■ 3/8"  
**C910PE** ○ 4-5-6-7-8-9-10 mm  
**C910TX** ○ T15-T20-T25-T27-T30-T40-T45  
**860EA/31** Ⓢ Ⓢ Ⓢ Ⓢ Ⓢ Ⓢ  
**1256/C36-2**



**1/2"**

**C920A** ○ 8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm  
**C920L** ○ 10-12-13-14-15-16-17-18-19-21-22-24-27-30-32 mm  
**C920FTX** ○ E10-E12-E14-E16-E18-E20-E22-E24  
**920E/55** Ⓢ  
**C920/25**  
**C920/21** 125 mm  
**C920/22** 250 mm  
**C910/16F** □ 3/8" - ■ 1/2"  
**C920PE** ○ 5-6-7-8-9-10-12-14 mm  
**C920PE/L** ○ 5-6-7-8-9-10-12-14 mm  
**C920TX** ○ T27-T30-T40-T45-T50-T55-T60  
**C920TX/L** ○ T30-T40-T45-T50-T55-T60-T70



**55** Ⓢ 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22-21x23-24x27-30x32 mm  
**90** Ⓢ 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22-21x23-24x27-30x32 mm  
**97BTX/SC8** T9-T10-T15-T20-T25-T27-T30-T40



**42C** Ⓢ 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm  
**96BPC/SC9** ○ 1,5-2-2,5-3-4-5-6-8-10 mm



**1201** ● 2,5x50-3x75-4x100-5,5x125-6,5x150-8x200 mm  
**1201N** ● 4x30 mm  
**1202** Ⓢ PH0x60-PH1x80-PH2x100-PH3x150  
**1202N** Ⓢ PH1x30 mm  
**1207TX** ○ T06-T07-T08-T09-T10-T15-T20-T25-T27-T30-T40-T45  
**1253** ● 3,5x100 mm



**1082CM** 160 mm  
**1150CM** 180 mm  
**1166CM** 200 mm  
**1168CM** 200 mm  
**1048** 250 mm  
**1098** 220 mm  
**1032-180** ○ 19+60 mm  
**1034-170** ○ 19+60 mm  
**1036-175** ● 19+60 mm  
**1038-175** ● 19+60 mm  
**1052** 190-240 mm  
**1128BMX**

**New Item**


**2400S-09/E-XL7D**

024002334

**482**


**Mobile roller cab  
with 9 drawers,  
with anti-tilt system, long model,  
with assortment of 482 tools**

- 9 drawers (882x367 mm),  
with ball bearing slides:  
8 drawers, 70 mm high  
1 drawer, 140 mm high
- Sturdy ABS worktop, with 6 tote-trays.
- Sturdy nylon front,  
with built-in label holder.
- Drawer bases protected by  
foamed rubber mats.
- Four castors Ø 125 mm:  
2 fixed and 2 steering (one with brake).
- Front centralized safety lock.
- Static load capacity: 1,000 kg.
- Integrated side bottle holder.
- Paper roll holder item 2400S-R/PC  
can also be included.



£ 5.390,00  
**£ 2.695,00**

| n° | h      | max   |
|----|--------|-------|
| 8  | 70 mm  | 30 kg |
| 1  | 140 mm | 35 kg |




**2400S-G9/E-XL7D**

024002335



**2400S-R9/E-XL7D**

024002336



**1/4"** C900 ○ 4-4.5-5-5.5-6-7-8-9-10-11-12-13-14 mm  
C900L ○ 4-4.5-5-5.5-6-7-8-9-10-11-12-13-14 mm  
C900FTX ○ E4-E5-E6-E7-E8-E10  
900E/55  
C900/25  
C900/21 50 mm  
C900/20L 100 mm  
C900/30 150 mm  
C900/42 115 mm  
C900ME ○ 3-4-5-6-7-8 mm  
C900TX ○ T06-T07-T08-T09-T10-T15-T20-T25  
C900LP ● 0,8x4-1x5,5-1,2x6,5-1,2x8 mm  
C900PH ○ PH0-PH1-PH2-PH3  
C900AD ○ 14"

**3/8"** C910A ○ 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24 mm  
C910L ○ 8-10-11-12-13-14-17-19 mm  
C910FTX ○ E6-E7-E8-E10-E11-E12-E14  
910E/55 200 mm  
C910/25  
C910/21 75 mm  
C910/22 150 mm  
C920/15F □ 1/2" - ■ 3/8"  
C910PE ○ 4-5-6-7-8-9-10 mm  
C910TX ○ T15-T20-T25-T27-T30-T40-T45  
860EA/31 ○ ● ● ● ●



1256/C36-2



**1/2"** C920A ○ 8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm  
C920L ○ 10-12-13-14-15-16-17-18-19-21-22-24-27-30-32 mm  
C920FTX ○ E10-E12-E14-E16-E18-E20-E22-E24  
920E/55  
C920/25  
C920/21 125 mm  
C920/22 250 mm  
C910/16F □ 3/8" - ■ 1/2"  
C920PE ○ 5-6-7-8-9-10-12-14 mm  
C920PE/L ○ 5-6-7-8-9-10-12-14 mm  
C920TX ○ T27-T30-T40-T45-T50-T55-T60  
C920TX/L ○ T30-T40-T45-T50-T55-T60-T70





**55** 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22-21x23-24x27-30x32 mm  
**90** 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22-21x23-24x27-30x32 mm  
**97BTX/SC8** T9-T10-T15-T20-T25-T27-T30-T40



**1201** 2,5x50-3x75-4x100-5,5x125-6,5x150- 8x200 mm  
**1201N** 4x30 mm  
**1202** PH0x60-PH1x80-PH2x100-PH3x150  
**1202N** PH1x30 mm  
**1207TX** T06-T07-T08-T09- T10-T15-T20-T25-T27-T30-T40-T45  
**1253** 3,5x100 mm



**42C** 6-7-8-9-10-11-12-13-14-15-16-17-18-19- 20-21- 22-23-24-27-30-32 mm  
**96BPC/SC9** 1,5-2-2,5-3-4-5-6-8-10 mm



**1370** 500 g  
**1380** 1000 g  
**1390** Ø 35 mm  
**1737NX**



**142** 8-9-10-11-12-13-14-15-16-17-18-19 mm  
**410/SP19** Ø 1+10 x 0,5 mm  
**1725CR** 250 mm



**1082CM** 160 mm  
**1150CM** 180 mm  
**1166CM** 200 mm  
**1168CM** 200 mm  
**1048** 250 mm  
**1098** 220 mm  
**1032-180** 19+60 mm  
**1034-170** 19+60 mm  
**1036-175** 19+60 mm  
**1038-175** 19+60 mm  
**1052** 190-240 mm  
**1128BMX**



**30** Ø 2-3-4 mm  
**31** Ø 2-3-4-5-6-8 mm  
**32** Ø 4 mm  
**34** 125-150-175 mm  
**36** 125 mm  
**1692** 3 m  
**1712TF**  
**1719BMA/Q** 200 mm  
**1719BMA/T** 200 mm  
**1719BMA/P** 200 mm  
**1719BMA/M** 200 mm  
**1719BMA/R** 200 mm  
**1725** 420 mm  
**1771**  
**1835/2**



**1149F** **1716P**  
**1602** **1716U**  
**1603** **1716A**  
**1716R**



**97TTX** T8-T9-T10-T15-T20-T25-T27-T30-T40  
**1650** 150 mm  
**1682** 300 mm



**123E1/4**  
**123Q1/4**  
**123Q3/8**  
**123Q1/2**  
**720** 12-13-15-17-19-21-24 mm  
**720LC** 17-19-21-24 mm  
**720/21** 125 mm  
**900/16**  
**910/15**  
**910/16**  
**920/15**  
**920/16**  
**943FL** 6-7-8  
**1687D** 153 mm  
**1687U** 153 mm  
**1687A** 153 mm  
**1687AC** 153 mm



**943E** 6-7-8-9-10-11-12-13 mm



**96T** 2-2,5-3-4-5-6-7-8 mm

Beta Utensili S.p.A.  
via Volta, 18  
20845 Sovico (MB) - ITALY  
tel +39 039 20771  
www.beta-tools.com



 **Beta**  
— EASY —

**Beta Tools (UK) Limited**  
Unit D - Horton Enterprise Park  
Hortonwood 50, Telford  
Shropshire, TF1 7GZ  
Sales: Tel. (01952) 677977

[www.beta-tools.co.uk](http://www.beta-tools.co.uk)  
[sales@beta-tools.com](mailto:sales@beta-tools.com)

The images are for reference only. Beta Utensili S.p.A. reserves the right to update and upgrade its product range without notice.

099804446



8 054809 127996