

Briggs Safetywear

Providing PPE to industry for over 75 years.




Dating back to 1944 with over 75 years experience in PPE, Briggs continues its expansion into the Trade, Merchant and Agricultural sectors.

UNBREAKABLE Professional Workwear enters the market ensuring quality and reliability, with products made to withstand the toughest environments.

Our longevity is testament to the company's past achievements and ongoing innovation.





A long history, with a proven track record.

With significant growth in the company, Briggs was sold in 2011 to the Superhouse Group PLC.

Now part of the Superhouse Group PLC, Briggs Industrial Footwear are able to offer our in-house designed products, manufactured in our own facilties giving us overall control of design, quality control and the distribution process.

Superhouse has a Group turnover of US \$350million, with over 20 manufacturing units and over 40 years experience of producing over 5 million pairs of formal footwear for major internationally known high street brands.

The Group has a combined workforce of over 5000 and a presence in more than 35 countries offering a perfect blend of highly technical skilled staff with ISO 9002 certification.

In 2021 Briggs now launch **INBREAKABLE** Professional Workwear for the Trade and Agricultural Sector bringing to you expertly crafted safety footwear, workwear and accessories designed and 'engineered for performance' through over 75 years of company expertise.

Look for the diamond logo on our safety footwear.

Only **INPREAKABLE** Professional Workwear has the mark of our expertise and quality.





UNBREAKABLE

New for 2021 comes a range of durable safety footwear and workwear products specifically designed for the professional tradesman.

With contemporary designs and state of the art materials, **UNBREAKABLE** has a product for all tradesmen.

SAFETY FOOTWEAR

HURRICANE	Page 4
METEOR	Page 8
TORNADO	Page 12
VULCAN	Page 15
STREAM	Page 19
COMET	Page 20
FORCE	Page 22
HIGHLAND	Page 23
GRANITE	Page 26

WORK TROUSERS

Page 28
Page 33
Page 36
Page 39
Page 43
Page 47
Page 49

HI-VISIBILITY

SHERMAN HI-VIS ORANGE HOODIE	Page 51
GIBSON HI-VIS ORANGE JOGGERS	Page 52
SHERMAN HI-VIS YELLOW HOODIE	Page 53
GIBSON HI-VIS YELLLOW JOGGERS	Page 54

UPPER WEAR

NEWARK TRIMMED POLO	Page 56
NEWARK TRIMMED MICROTECH SHIRT	Page 57
RUTLAND PADDED GILET	Page 58
RUTLAND PADDED JACKET	Page 59
GRANTHAM HOODIE	Page 60
BURGHLEY SOFTSHELL GREY	Page 61
BURGHLEY SOFTSHELL BLACK	Page 62

ACCESSORIES

SOX	Page 64
PREMIUM DRIVERS GLOVES	Page 64







NU BREAK ABLE

PROFESSIONAL WORKWEAR

ENGINEERED FOR PERFORMANCE

U112 HURRICANE BLACK



SPECIFICATION

EN ISO 20345:2011 S3 WR SRC HRO



SIZES

Strong side protection

6 7 8 9 10 11 12 13

High comfort thick padded collar and tongue





UPPER

Black full grain waxy leather upper Thick padded collar and tongue Breathable, waterproof membrane



SOLE

UNHREAKABLE injected construction SRC slip resistant
Fuel and oil resistant
300°C temperature resistance
Energy absorbing heel



PROTECTION

Composite toe-cap Flexi-composite midsole Anti-static



MAIN FEATURES

Fully waterproof
Ultra comfort PU insock
Scuff cap and kick plate
Strong side protection and support
Easy clean, clear channel sole



Ultra comfort PU insock

Flexible composite anti-penetration midsole for underfoot protection

Composite toe-cap

Fuel and oil resistant





















NEA BIREAK UN

PROFESSIONAL WORKWEAR

ENGINEERED FOR PERFORMANCE

U113 HURRICANE HONEY



SPECIFICATION

EN ISO 20345:2011 S3 WR SRC HRO



SIZES

Strong side protection

6 7 8 9 10 11 12 13

High comfort thick padded collar and tongue



UPPER

Honey Nubuck leather upper Thick padded collar and tongue Breathable, waterproof membrane



SOLE

INHREAKABLE injected construction SRC slip resistant
Fuel and oil resistant
300°C temperature resistance
Energy absorbing heel



PROTECTION

Composite toe-cap Flexi-composite midsole Anti-static



MAIN FEATURES

Fully waterproof
Ultra comfort PU insock
Scuff cap and kick plate
Strong side protection and support
Easy clean, clear channel sole

Honey Nubuck leather upper

Moulded on scuff cap

Ultra comfort PU insock

Flexible composite anti-penetration midsole for underfoot protection Composite toe-cap

Fuel and oil resistant





















UN BISEVK ABLE

PROFESSIONAL WORKWEAR

ENGINEERED FOR PERFORMANCE

U114 HURRICANE BROWN



SPECIFICATION

EN ISO 20345:2011 S3 WR SRC HRO




SIZES

Strong side protection

6 7 8 9 10 11 12 13

High comfort thick padded collar and tongue





UPPER

Brown full grain waxy leather upper Thick padded collar and tongue Breathable, waterproof membrane



SOLE

UNBREAKABLE injected construction SRC slip resistant Fuel and oil resistant 300°C temperature resistance Energy absorbing heel



PROTECTION

Composite toe-cap Flexi-composite midsole Anti-static



MAIN FEATURES

Fully waterproof Ultra comfort PU insock Scuff cap and kick plate Strong side protection and support Easy clean, clear channel sole

Brown full grain waxy leather upper

Moulded on scuff cap

Ultra comfort PU insock

Flexible composite anti-penetration midsole for underfoot protection

Composite toe-cap

Fuel and oil resistant
























METEDR

METEOR BLACK METEOR HONEY METEOR BROWN



PROFESSIONAL WORKWEAR

ENGINEERED FOR PERFORMANCE

U105 METEOR BLACK

SPECIFICATION

EN ISO 20345:2011 S3 WR SRC



SIZES

3 4 5 6 7 8 9 10 11 12 13 14

High comfort thick padded collar and tongue



UPPER

Black full grain waxy leather upper Thick padded collar and tongue Breathable, waterproof membrane



SOLE

INHREAKABLE injected construction SRC slip resistant Fuel and oil resistant 200°C temperature resistance Energy absorbing heel



PROTECTION


Composite (fibreglass) toe-cap GVT composite midsole Anti-static



MAIN FEATURES

Fully waterproof
Cooling ACS air flow insock
Scuff cap and kick plate
Easy clean, clear channel sole

Black full grain waxy leather upper



GVT composite anti-penetration midsole for underfoot protection Moulded on scuff cap

Composite toe-cap

Fuel and oil resistant

























UN BIREAK ABLE

PROFESSIONAL WORKWEAR

ENGINEERED FOR PERFORMANCE

U106 METEOR HONEY

SPECIFICATION

EN ISO 20345:2011 S3 WR SRC

SIZES

3 4 5 6 7 8 9 10 11 12 13 14

High comfort thick padded collar and tongue



UPPER

Honey Nubuck full grain leather upper Thick padded collar and tongue Breathable, waterproof membrane



SOLE

UNBREAKABLE injected construction SRC slip resistant Fuel and oil resistant 200°C temperature resistance Energy absorbing heel



PROTECTION

Composite (fibreglass) toe-cap GVT composite midsole Anti-static



MAIN FEATURES

Fully waterproof Cooling ACS air flow insock Scuff cap and kick plate Easy clean, clear channel sole

Honey Nubuck full grain leather upper

ACS cooling insock

GVT composite anti-penetration midsole for underfoot protection

Moulded on scuff cap

Composite toe-cap

Fuel and oil resistant



























PROFESSIONAL WORKWEAR

ENGINEERED FOR PERFORMANCE

U107 METEOR BROWN



SPECIFICATION

EN ISO 20345:2011 S3 WR SRC



SIZES

3 4 5 6 7 8 9 10 11 12 13 14

High comfort thick padded collar and tongue



UPPER

Brown full grain waxy leather upper Thick padded collar and tongue Breathable, waterproof membrane



SOLE

LINBREAKABLE injected construction SRC slip resistant
Fuel and oil resistant
200°C temperature resistance
Energy absorbing heel



PROTECTION


Composite (fibreglass) toe-cap GVT composite midsole Anti-static



MAIN FEATURES

Fully waterproof
Cooling ACS air flow insock
Scuff cap and kick plate
Easy clean, clear channel sole

Brown full grain waxy leather upper




GVT composite anti-penetration midsole for underfoot protection Moulded on scuff cap

Composite toe-cap

Fuel and oil resistant





























ENGINEERED FOR PERFORMANCE



CCIANSIOT

TORNADO BLACK TORNADO BROWN NA **ARIE**

PROFESSIONAL WORKWEAR

ENGINEERED FOR PERFORMANCE

U108 TORNADO BLACK

SPI

SPECIFICATION

EN ISO 20345:2011 S3 WR SRC



SIZES

3 4 5 6 7 8 9 10 11 12 13 14

High comfort thick padded collar and tongue



UPPER

Black full grain leather upper Thick padded collar and tongue Breathable, waterproof membrane



INHREAKABLE injected construction

SRC slip resistant Fuel and oil resistant 200°C temperature resistance Energy absorbing heel

PROTECTION

Composite (fibreglass) toe-cap GVT composite midsole Anti-static


MAIN FEATURES

Fully waterproof Cooling ACS air flow insock Scuff cap Easy clean, clear channel sole

Heavy duty side zipper with storm guard

Black full grain leather upper

Scuff cap



GVT composite anti-penetration midsole for underfoot protection

Composite toe-cap

Fuel and oil resistant

























UN BIREAK ABLE

PROFESSIONAL WORKWEAR

ENGINEERED FOR PERFORMANCE

U109 TORNADO BROWN

SPECIFICATION

EN ISO 20345:2011 S3 WR SRC

SIZES

3 4 5 6 7 8 9 10 11 12 13 14



UPPER

Brown full grain leather upper Thick padded collar and tongue Breathable, waterproof membrane

SOLE

UNBREAKABLE injected construction SRC slip resistant Fuel and oil resistant 200°C temperature resistance Energy absorbing heel

PROTECTION

Composite (fibreglass) toe-cap GVT composite midsole Anti-static

MAIN FEATURES

Fully waterproof Cooling ACS air flow insock Scuff cap Easy clean, clear channel sole Heavy duty side zipper with storm quard

Brown full grain leather upper

Scuff cap

ACS cooling insock

GVT composite anti-penetration midsole for underfoot protection

Composite toe-cap

Fuel and oil resistant

































PROFESSIONAL WORKWEAR

ENGINEERED FOR PERFORMANCE



VULCAN

VULCAN BLACK VULCAN HONEY VULCAN BROWN

STREAM

NU JEAN

PROFESSIONAL WORKWEAR

ENGINEERED FOR PERFORMANCE

U101 VULCAN BLACK



EN ISO 20345:2011 S3 HRO SRC

SIZES

3 4 5 6 7 8 9 10 11 12 13

High comfort thick padded collar and tongue

UPPER

Black Nubuck full grain leather upper Thick padded collar and tongue Reinforced top eyelet

SOLE

LINEREAKABLE cemented construction SRC slip resistant
Fuel and oil resistant
300°C temperature resistance
Energy absorbing heel

PROTECTION

Composite (fibreglass) toe-cap GVT composite midsole Anti-static

MAIN FEATURES

Cooling ACS air flow insock

LINBREAKABLE easy clean sole

Lightweight, anti-fatigue

Black Nubuck full grain leather upper

ACS cooling insock

GVT composite anti-penetration midsole for underfoot protection

Composite toe-cap

Fuel and oil resistant























NU JEEA

PROFESSIONAL WORKWEAR

ENGINEERED FOR PERFORMANCE

U102 VULCAN HONEY

SPECIFICATION

EN ISO 20345:2011 S3 HRO SRC

SIZES

3 4 5 6 7 8 9 10 11 12 13

High comfort thick padded collar and tongue

UPPER

Honey Nubuck full grain leather upper Thick padded collar and tongue Reinforced top eyelet

SOLE

LINBREAKABLE cemented construction SRC slip resistant
Fuel and oil resistant
300°C temperature resistance
Energy absorbing heel

PROTECTION

Composite (fibreglass) toe-cap GVT composite midsole Anti-static

MAIN FEATURES

Cooling ACS air flow insock **LINHREAKABLE** easy clean sole

Lightweight, anti-fatigue

Honey Nubuck full grain leather upper

ACS cooling insock

GVT composite anti-penetration midsole for underfoot protection

Composite toe-cap

Fuel and oil resistant























UN HREAK ABLE

PROFESSIONAL WORKWEAR

ENGINEERED FOR PERFORMANCE

U103 VULCAN BROWN



EN ISO 20345:2011 S3 HRO SRC

SIZES

3 4 5 6 7 8 9 10 11 12 13

High comfort thick padded collar and tongue

UPPER

Brown Nubuck full grain leather upper Thick padded collar and tongue Reinforced top eyelet

SOLE

LINBREAKABLE cemented construction SRC slip resistant
Fuel and oil resistant
300°C temperature resistance
Energy absorbing heel

PROTECTION

Composite (fibreglass) toe-cap GVT composite midsole Anti-static

MAIN FEATURES

Cooling ACS air flow insock

LINBREAKABLE easy clean sole

Lightweight, anti-fatigue

Brown Nubuck full grain leather upper

ACS cooling insock

GVT composite anti-penetration midsole for underfoot protection Composite toe-cap

Fuel and oil resistant























NA **JEE**

PROFESSIONAL WORKWEAR

ENGINEERED FOR PERFORMANCE

U100 STREAM BLACK

SPECIFICATION

EN ISO 20345:2011 S3 HRO SRC

SIZES

3 4 5 6 7 8 9 10 11 12 13





Black full grain leather upper Thick padded collar and tongue

SOLE

INHREAKABLE cemented construction SRC slip resistant
Fuel and oil resistant

300°C temperature resistance Energy absorbing heel

PROTECTION

Composite (fibreglass) toe-cap GVT composite midsole Anti-static

MAIN FEATURES

Cooling ACS air flow insock

LINBREAKABLE easy clean sole

Stitched on scuff cap


Reflective detailing

Black full grain leather upper

Stitched on scuff cap

Composite toe-cap


Fuel and oil resistant



ACS cooling insock

anti-penetration midsole for underfoot protection

(ECA


























PROFESSIONAL WORKWEAR

ENGINEERED FOR PERFORMANCE

COMET HONEY FORCE BLACK

UN BIREAK ABLE

PROFESSIONAL WORKWEAR

ENGINEERED FOR PERFORMANCE

U104 COMET HONEY

SPECIFICATION

EN ISO 20345:2011 S1P SRC

SIZES

3 4 5 6 7 8 9 10 11 12 13 14

High comfort thick padded collar and tongue

UPPER

Honey Nubuck full grain leather upper Thick padded collar and tongue Metal eyelets

SOLE

UNBREAKABLE injected construction SRC slip resistant 200°C temperature resistance Energy absorbing heel

PROTECTION

Steel toe-cap Steel midsole Anti-static

MAIN FEATURES

Cooling ACS air flow insock Easy clean, clear channel sole

Honey Nubuck full grain leather upper

ACS cooling insock

Steel anti-penetration midsole for underfoot protection

Steel toe-cap



















UN HREAK ABLE

PROFESSIONAL WORKWEAR

ENGINEERED FOR PERFORMANCE

U111 FORCE BLACK

SPECIFICATION

EN ISO 20345:2011 S1P SRC

SIZES

3 4 5 6 7 8 9 10 11 12 13 14

High comfort thick padded collar and tongue

UPPER

Black full grain waxy leather upper Thick padded collar and tongue

SOLE

UNBREAKABLE injected construction SRC slip resistant 200°C temperature resistance Energy absorbing heel

PROTECTION

Steel toe-cap Steel midsole Anti-static

MAIN FEATURES

Cooling ACS air flow insock Easy clean, clear channel sole


Black full grain waxy leather upper

ACS cooling insock

Steel anti-penetration midsole for underfoot protection

Steel toe-cap























UN BISEVK ABLE

PROFESSIONAL WORKWEAR

ENGINEERED FOR PERFORMANCE


U115 HIGHLAND CRAZY HORSE UPPER





EN ISO 20345:2011 SBP SRA HRO

Brown full grain crazy horse leather Elasticated side gusset Pull on Dealer style boot




6 7 8 9 10 11 12 13



Elasticated side gusset

LINBREAKABLE Goodyear Welted Construction SRA slip resistant 300°C temperature resistance

Oil resistant sole



Steel toe-cap Steel midsole Anti-static

MAIN FEATURES

Easy clean, clear channel sole Reinforced mid-layer

Brown full grain crazy horse leather

Reinforced mid-layer

Steel anti-penetration midsole for underfoot protection

Goodyear Welted Construction

Steel toe-cap

Oil resistant sole













NU LIN

PROFESSIONAL WORKWEAR

ENGINEERED FOR PERFORMANCE

U116 HIGHLAND TAN

SPECIFICATION

EN ISO 20345:2011 SBP SRA HRO

SIZES

6 7 8 9 10 11 12 13

UPPER

Tan full grain leather upper Elasticated side gusset Pull on Dealer style boot

SOLE

Easy clean, clear channel sole

LINBREAKABLE Goodyear Welted Construction SRA slip resistant













Goodyear Welted Construction



HEAK AHLE

PROFESSIONAL WORKWEAR

ENGINEERED FOR PERFORMANCE

UPPER

Elasticated side gusset
Pull on Dealer boot style

U110 GRANITE BROWN

SPECIFICATION

EN ISO 20345:2011 S3 SRC

SIZES

3 4 5 6 7 8 9 10 11 12 13 14

Reinforced kick plate



SOLE

LINBREAKABLE cemented construction SRC slip resistant
Fuel and oil resistant
200°C temperature resistance
Energy absorbing heel

Brown full grain waxy leather upper

PROTECTION

Composite (fibreglass) toe-cap GVT composite midsole Anti-static

MAIN FEATURES

Cooling ACS air flow insock
Easy clean, clear channel sole
Stitched on scuff cap
Reinforced kick plate

Brown full grain waxy leather upper

ACS cooling insock

GVT composite anti-penetration midsole for underfoot protection

Composite toe-cap

Fuel and oil resistant

(EUK



























UN BIREAK ABLE

PROFESSIONAL WORKWEAR


ENGINEERED FOR PERFORMANCE

QU224 REFLEX PRO STRETCH HOLSTER BLACK











260gsm heavy duty fabric 58% Cotton/40% Polyester/2% Spandex Cordura Advanced Fabrics















MAIN FEATURES

Top loading knee pad pockets Twin holster pockets Twin multi function leg pockets Orange reinforcement detailing Triple stitched inner seams High quality YKK zipper Cordura knee pad pockets & hem Reflective detailing to pocket zipper Stretch waistband Rule pocket Back welted pockets

Triple stitched inner seams

Hammer loop

Cordura knee pad pockets



UN BIREAK ABLE

PROFESSIONAL WORKWEAR

ENGINEERED FOR PERFORMANCE

U225 REFLEX PRO STRETCH HOLSTER GREY





LEG LENGTH

FABRIC

260gsm heavy duty fabric 58% Cotton/40% Polyester/2% Spandex Cordura Advanced Fabrics













Stretch waistband

Twin holster

pockets

Twin multi function leg

pockets



MAIN FEATURES

Top loading knee pad pockets
Twin holster pockets
Twin multi function leg pockets
Orange reinforcement detailing
Triple stitched inner seams
High quality YKK zipper
Cordura knee pad pockets & hem
Reflective detailing to pocket zipper
Stretch waistband
Rule pocket
Back welted pockets
Hammer loop

Triple stitched inner seams

Cordura knee pad pockets




UN BREAK ABLE

PROFESSIONAL WORKWEAR

ENGINEERED FOR PERFORMANCE

U226 REFLEX PRO STRETCH HOLSTER NAVY






LEG LENGTH

S R T



FABRIC

260gsm heavy duty fabric 58% Cotton/40% Polyester/2% Spandex Cordura Advanced Fabrics
















Twin holster

pockets

Twin multi

function leg pockets





MAIN FEATURES


Top loading knee pad pockets
Twin holster pockets
Twin multi function leg pockets
Orange reinforcement detailing
Triple stitched inner seams
High quality YKK zipper
Cordura knee pad pockets & hem
Reflective detailing to pocket zipper
Stretch waistband
Rule pocket
Back welted pockets
Hammer loop

Triple stitched inner seams

Cordura knee pad pockets









UN BREAK ABLE

PROFESSIONAL WORKWEAR

ENGINEERED FOR PERFORMANCE

U222 HARRIER EXTREME BLACK






LEG LENGTH

Twin holster pockets

Twin multi

leg pockets

function





FABRIC

310gsm heavy duty fabric 65% Polyester/35% Cotton Canvas Cordura Advanced Fabrics




CARE













MAIN FEATURES

Top loading knee pad pockets
Twin holster pockets
Multi function leg pockets
Orange reinforcement detailing
Triple stitched inner seams
High quality YKK zipper
Cordura knee pad pockets & hem
Reflective detailing to pocket & leg
Rule pocket
Hammer loop
Two back patch pockets

Triple stitched inner seams

Cordura knee pad pockets






NU LIN

PROFESSIONAL WORKWEAR

ENGINEERED FOR PERFORMANCE

U223 HARRIER EXTREME GREY





LEG LENGTH

S R T



FABRIC

310gsm heavy duty fabric 65% Polyester/35% Cotton Canvas Cordura Advanced Fabrics















High quality YKK zipper




Twin multi function leg pockets



MAIN FEATURES


Top loading knee pad pockets
Twin holster pockets
Multi function leg pockets
Orange reinforcement detailing
Triple stitched inner seams
High quality YKK zipper
Cordura knee pad pockets & hem
Reflective detailing to pocket & leg
Rule pocket
Hammer loop
Two back patch pockets



Cordura knee pad pockets







NU JEAN

PROFESSIONAL WORKWEAR

ENGINEERED FOR PERFORMANCE

U220 EAGLE PRO BLACK





28 30 32 34 36 38 40 42 44

LEG LENGTH

SRT













High quality YKK zipper



MAIN FEATURES

Top loading knee pad pockets
Twin holster pockets
Multi function leg pockets
Orange reinforcement detailing
Triple stitched inner seams
High quality YKK zipper
Rule pocket
Hammer loop
Two back patch pockets



NU BIREAK JIN

PROFESSIONAL WORKWEAR

ENGINEERED FOR PERFORMANCE

U221 EAGLE PRO GREY







LEG LENGTH

















MAIN FEATURES

Top loading knee pad pockets
Twin holster pockets
Multi function leg pockets
Orange reinforcement detailing
Triple stitched inner seams
High quality YKK zipper
Rule pocket
Hammer loop
Two back patch pockets






PROFESSIONAL WORKWEAR


ENGINEERED FOR PERFORMANCE


U232 REFLEX STRETCH BLACK



280gsm soft stretch fabric 98% Cotton/2% Spandex







S R T



CARE












High quality YKK zipper



Rule pocket

Side pocket to right leg



MAIN FEATURES

Twin front pockets
Side pocket to right leg
Triple stitched inner seams
High quality YKK zipper
Rule pocket
Two rear pockets






PROFESSIONAL WORKWEAR

ENGINEERED FOR PERFORMANCE

U233 REFLEX STRETCH GREY



280gsm soft stretch fabric 98% Cotton/2% Spandex


























High quality YKK zipper



Rule pocket

Side pocket to right leg



MAIN FEATURES

Twin front pockets Side pocket to right leg Triple stitched inner seams High quality YKK zipper Rule pocket Two rear pockets






PROFESSIONAL WORKWEAR


ENGINEERED FOR PERFORMANCE

U234 REFLEX STRETCH NAVY



280gsm soft stretch fabric 98% Cotton/2% Spandex







S R T

Rule pocket

right leg



CARE











High quality YKK zipper






MAIN FEATURES

Twin front pockets Side pocket to right leg Triple stitched inner seams High quality YKK zipper Rule pocket Two rear pockets








PROFESSIONAL WORKWEAR

ENGINEERED FOR PERFORMANCE






WAIST (INCHES)

28 30 32 34 36 38 40 42 44

LEG LENGTH
S R T

High quality YKK zipper



















Hammer loop

Side pocket to right leg

Rule pocket

MAIN FEATURES

Twin front pockets
Side pocket to right leg
Triple stitched inner seams
High quality YKK zipper
Rule pocket
Two rear pockets
Bottom loading knee pad pockets
Hammer loop





PROFESSIONAL WORKWEAR

ENGINEERED FOR PERFORMANCE





WAIST (INCHES)

28 30 32 34 36 38 40 42 44

LEG LENGTH

High quality YKK zipper

















MAIN FEATURES Twin front pockets Side pocket to right leg

Triple stitched inner seams High quality YKK zipper

Rule pocket Two rear pockets

Bottom loading knee pad pockets

Hammer loop

Triple stitched inner seams

Rule pocket



PROFESSIONAL WORKWEAR


ENGINEERED FOR PERFORMANCE




PROFESSIONAL WORKWEAR

ENGINEERED FOR PERFORMANCE

U230 KESTREL HOLSTER BLACK SHORTS







LEG LENGTH ONE LENGTH















Triple stitched inner seams



Triple stitched inner seams High quality YKK zipper Rule pocket Two rear pockets Hammer loop Orange reinforcement fabric

Two rear pockets Side pocket to

left leg


Rule pocket




PROFESSIONAL WORKWEAR

ENGINEERED FOR PERFORMANCE

U231 KESTREL HOLSTER GREY SHORTS







LEG LENGTH
ONE LENGTH















MAIN FEATURES
Twin holster pockets

Twin holster pockets
Side pocket to left leg
Triple stitched inner seams
High quality YKK zipper
Rule pocket
Two rear pockets
Hammer loop
Orange reinforcement fabric





Rule pocket

PROFESSIONAL WORKWEAR

ENGINEERED FOR PERFORMANCE

OU235 CARGO PRO **BLACK SHORTS**







LEG LENGTH ONE LENGTH




















Two front pockets Two side pockets Two rear pockets Quality YKK zipper Key fob holder Orange reinforcement detailing Triple stitched inner seams

Two rear pockets

Key fob holder

Two side pockets





PROFESSIONAL WORKWEAR

ENGINEERED FOR PERFORMANCE

U300 SHERMAN HI-VIS ORANGE HOODIE (GORT)





Elasticated waist









CARE













MAIN FEATURES

Kangaroo pocket to front Draw cord through hood 50mm high visibility reflectives Navy blue/orange contrast Class 1 reflective EN ISO 20471:2013 Class 1

50mm high visibility reflectives

Kangaroo pocket to front

Elasticated cuffs

PROFESSIONAL WORKWEAR

ENGINEERED FOR PERFORMANCE

U301 GIBSON HI-VIS ORANGE JOGGER (GORT)





SIZES
















CARE














velcro fastening

50mm high visibility reflectives

Elasticated hems



MAIN FEATURES

Two front pockets with zipper Two side pockets - velcro fastening Draw cord through elasticated waist One rear pocket - velcro fastening 50mm high visibility reflectives Elasticated hems Class 1 reflective EN ISO 20471:2013 Class 1 Navy blue/orange contrast

Two front pockets with zipper

Two side pockets velcro fastening



UN BREAK JEIA

PROFESSIONAL WORKWEAR

ENGINEERED FOR PERFORMANCE







Elasticated waist






CARE











MAIN FEATURES

Kangaroo pocket to front Draw cord through hood 50mm high visibility reflectives Navy blue/yellow contrast Class 1 reflective EN ISO 20471:2013 Class 1

50mm high visibility reflectives

Kangaroo pocket to front

Elasticated cuffs

UN BREAK JUN

PROFESSIONAL WORKWEAR

ENGINEERED FOR PERFORMANCE

U303 GIBSON HI-VIS YELLOW JOGGER











Draw cord through elasticated waist









CARE











Two front pockets with zipper

Two side pockets - velcro fastening

50mm high visibility reflectives


Elasticated hems



MAIN FEATURES


Two side pockets
One rear pocket
Draw cord through elasticated waist
Navy knee pockets
50mm high visibility reflectives
Elasticated hems
Class 1 reflective

EN ISO 20471:2013 Class 1 Navy blue/yellow contrast



Two side pockets - velcro fastening







ENGINEERED FOR PERFORMANCE

U400 NEWARK TRIMMED POLO



FABRIC

220gsm 100% Polyester Colour: Black/Orange















CARE













MAIN FEATURES

Orange detailing Three button bar placket Easy care, non iron, drip dry Ribbed collar and cuffs Smart, sporty design Loose, casual fit Made from fast drying, breathable Vented side seams for comfort Spare button

Protection from UV rays

Ribbed collar and cuffs

Vented side seams for comfort

PROFESSIONAL WORKWEAR

ENGINEERED FOR PERFORMANCE

• U401 STAMFORD TRIMMED MICROTECH SHIRT













FABRIC

215gsm 100% Polyester Colour: Black/Orange



CARE












High quality YKK zipper





Orange detailing High quality YKK zipper Thumb hole in sleeve Easy care, non iron, drip dry Lightweight and breathable Sporty design Protection from UV rays



Orange detailing



ENGINEERED FOR PERFORMANCE

U402 RUTLAND PADDED GILET



SIZES













FABRIC

Inner lining: 100% Polyester Wadding: 100% Polyester 250gsm Body outer lining: 100% Polyester

Body side outer lining: 87% Polyester/13% Spandex

Colour: Black






















MAIN FEATURES

Contour designed quilted jacket High quality YKK zipper Two front pockets with zipper Flex body side panels Designed to hold heat Practical and stylish Allows freedom for movement Wind repellent Water repellent Stand-up neck collar

Contour designed quilted jacket

Two front pockets with zipper

Flex body side panels



ENGINEERED FOR PERFORMANCE

U403 RUTLAND PADDED JACKET
















FABRIC

Inner lining: 100% Polyester Wadding: 100% Polyester 250gsm Body outer lining: 100% Polyester Body side and sleeve outer lining: 87% Polyester/13% Spandex

Colour: Black



CARE











High quality YKK zipper





MAIN FEATURES

Contour designed quilted jacket High quality YKK zipper Two front pockets Flex body side panels Designed to hold heat Practical and stylish Allows freedom for movement Wind repellent Water repellent Stand-up neck collar Contour design flex sleeves

Contour design flex sleeves

Two front pockets with zipper

Contour design quilted jacket



ENGINEERED FOR PERFORMANCE

U404 GRANTHAM HOODIE















FABRIC

300gsm 65% Cotton/35% Polyester Thick pile & Jersey bonded fabric Colour: Black/Orange



CARE



















MAIN FEATURES

Draw string to hood Kangaroo pocket to front Elasticated ribbed cuffs Elasticated ribbed waistband



Elasticated ribbed cuffs

Elasticated ribbed waistband

PROFESSIONAL WORKWEAR

ENGINEERED FOR PERFORMANCE

U406 BURGHLEY GREY SOFT SHELL



SIZES
















FABRIC

320gsm 3-layer softshell 93% Polyester/7% Elastane Waterproof/Windproof/Breathable Anti-pilling microfleece, extra warmth



CARE











Microfleece inner for extra warmth



Synthetic adjusters to cuff

PROFESSIONAL WORKWEAR

ENGINEERED FOR PERFORMANCE

U405 BURGHLEY BLACK SOFT SHELL



SIZES















FABRIC

320gsm 3-layer softshell 93% Polyester/7% Elastane Waterproof/Windproof/Breathable Anti-pilling microfleece, extra warmth



CARE









Microfleece inner for extra warmth

Zipper closing chest pocket

Inner storm flap with chin guard




MAIN FEATURES

Microfleece inner for extra warmth Inner storm flap with chin guard Zipper closing chest pocket Zipper closing side pockets Internal mobile phone pocket High quality YKK zipper to front Synthetic adjusters to cuff

Zipper closing side pockets

High quality YKK zipper to front

Synthetic adjusters to cuff



UN BISEVK ABLE

PROFESSIONAL WORKWEAR

ENGINEERED FOR PERFORMANCE

U500 SOX BLACK



FABRIC

76% Cotton/22% Polyester/2% Elastane



SIZES

ONE SIZE





CARE













MAIN FEATURES

High quality, soft, thick black socks Pack of three pairs Moisture wicking for maximum comfort

Breathable - maintains hygiene Heavy socks designed for use with professional safety footwear Reinforced heel and toe

Weight: 75gm per pair

U510 PREMIUM DRIVERS GLOVES




SIZES

Brown edge binding

Blue edge binding



Red edge binding



Soft, supple cow-grain leather

U510 Test Information

U510 Tested Against	U510 Test Results	EN388 Test Range (highest score is max resistance)							
Abrasion Resistance	3	1 to 4							
Cut Resistance	1	1 to 5							
Tear Resistance	4	1 to 4							
Puncture Resistance	3	1 to 4							



FABRIC

Yellow cow grain premium leather 100% Polyester fleece lining 100% Polyester edge binding



EN 388

CARE













PROTECTION

Abrasion Resistance - 3 Cut Resistance - 1 Tear Resistance - 4

Puncture Resistance - 3



MAIN FEATURES

Conforms to EN388:2003 Quality edge binding Embossed 'Diamond' logo Soft, supple cow-grain leather Soft fleecy lined for warmth and comfort

Get The Right Footwear

The choice of safety footwear depends on the type of occupational risk. As with all footwear, additional safety features may be required such as penetration resistance, electrical resistance, heat resistance etc. These shoes are marked with the relevant industrial symbols

European Standards Footwear Classification

The principal classification of footwear is based on the level of protection offered by the footwear. The table below explains the standards in detail.

EN ISO 20345

Safety Footwear. Highest protection. Toecaps tested to 200 joules for S classification.



Basic safety protection. 200 joule.



Toecap (200) protection) in either steel or composite variants.



200 joule toecap protection. Closed seat region (fully enclosed heel). Antistatic properties. Energy absorption of seat region.



Heat resistant outsole up to 300°C.

Depending on the test conditions chosen, footwear tested according to the EN standards is now marked with the one of the following codes, SRA, SRB, SRC.



200 joule toecap protection. Closed seat region (fully enclosed heel). Antistatic properties. Energy absorption of seat region. Plus water penetration and water absorption



Temperature Resistance of Sole °C.

The codes indicate that the footwear has met the specified requirements when tested as follows:



200 joule toecap protection. Closed seat region (fully enclosed heel). Antistatic properties. Energy absorption of seat region. Water penetration and water absorption resistance. Plus penetration resistance. Cleated outsole.



Zip



Tested on ceramic tile wetted with dilute solution

Tested on smooth steel with glycerol



Waterproof



200 joule toecap protection. All rubber or all polymeric footwear with antistatic properties. Energy absorption of seat region.



Anti-Static Sole




200 joule toecap protection. All rubber or all polymeric footwear with antistatic properties. Energy absorption of seat region. Plus penetration resistance. Cleated outsole.



Oil Resistant





stamped with the CE mark. The manufacturer also provides user information indicating the applications for which the footwear is suitable.

Footwear products once tested and certified are




200 joule toe cap, penetration resistant midsole.



Midsole



200 joule toe cap protection, closed seat region (fully enclosed heal), antistatic properties, energy seat region, penetration resistant midsole.





ENGINEERED FOR PERFORMANCE

Workwear Sizing

	Men's Tops																
S	ize	X	S	S	5	١	1	ı	-	Х	L	2)	(L	3)	(L	4)	(L
	Chest (inch)	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62
	Chest (cm)	81	86	91	97	102	107	112	117	122	127	132	137	142	147	152	157

Men's Trousers Available Waist Sizes									
Waist (inch)	28	30	32	34	36	38	40	42	44
Waist (cm)	72	76	81	86	92	97	102	107	112

Men's Trousers Available Leg Sizes

Leg	SHORT	REGULAR	TALL		
Leg (inch)	29	31	33		
Leg (cm)	74	79	84		

Care Instructions

₩ash at 30°C

₩ash at 40°C

₩ Do Not Bleach

Tumble Dry Do Not Tumble Dry

A Medium Iron

Do Not Iron

P Dry Clean

Do Not Dry Clean



ENGINEERED FOR PERFORMANCE

UNBREAKABLE Footwear Technologies







This **INBREAKABLE** safety footwear uses an anti-penetration midsole from WB Flex Technology by GVT.

The non-metallic textile insert is able to protect the underside of the foot againt punctures by using a strong, bonded multilayer complex protective sheet made from high technology materials.

Conforms to EN 12568:2010








This footwear contains a steel or composite toe cap manufactured to the highest standard and tested in a certified laboratory to meet the European standard EN:12568 2010





Active Cooling System (ACS)

The **UNBREAKABLE** removable PU insock offers a high level of comfort and greater shock absorbsancy thanks to its unique moulded heel area.



Each step produces downhill pressure on the comfort designed heel area of the insock. This forces air through the channels and along the underside of the insock and up through the holes to refresh your feet - offering all day comfort!

Look for Active Cooling System icon in the footwear section.





INHREAKABLE footwear has been manufactured to the highest standards and has been tested and approved in independent laboratories as 'Antistatic' compliant.

LINBREAKABLE safety footwear has antistatic properties with contact resistance in the range between 100K Ohm (10⁵) and 1G Ohm (10⁹).

Reference EN ISO 20345





LINEREAKABLE safety footwear is certified to both CE and UKCA unless advised.

CE marked products are for retail in the UK ONLY until 31st December 2021. From the 1st January 2022 all products entering the UK market need to carry the UKCA mark and have a certification which can only be issued by a UK Approved Body.

All product being supplied to both the UK and EU will need to be dual marked and dual certified.



Briggs Safetywear 430 Thurmaston Boulevard Leicester LE4 9LE



Briggs Safetywear take our environmental responsibilities seriously and that's why our product wrapping and boxes are 95% recyclable.

This brochure is printed on sustainably sourced paper FSC Mix Credit SGSCH-COC-007953.



www.unbreakableworkwear.com

Every effort has been taken to ensure product details are correct at the time of publication however, specifications may change without prior notice.

Terms and conditions apply.