



[www.beta-tools.com](http://www.beta-tools.com)



2022

£

**Promotion**

valid from 01/06/2022 until 31/08/2022

Prices do not include V.A.T

**NEW**



**DISCOVER  
THE NEW RSC!**



Beta is proud to introduce **the new RSC product range**, designed to meet every professional's requirements and ensure remarkable reliability and high performance. The new design, inspired by the Racing world, gives this range of cabs and trolleys a charming, unique style: based on the new colours and finishes, the new RSC product range stands out as one of a kind in the market. The sturdy structure and the materials used guarantee high quality and a long service life, thus effectively complementing the daily work of industrial production departments, vehicle repairers and general maintainers. Furthermore, most of the RSC mobile roller cabs have been awarded prestigious TÜV certification, which is synonymous with guaranteed safety and quality, and is obtained upon successful completion of severe tests under the EK5/TA5 protocol.

## INCLUDED ACCESSORIES

### // 2400 RSC24/PF


**Perforated tool panel with supports,**  
for roller cab RSC24



### // 5000MS

**Folding shelf**

- For use as additional worktop
- Worktop dimensions: 390x440 mm, protected by an anti-oil and anti-petrol rubber mat
- Load capacity: 20 kg.



### // 2400 RSC24/PD

**Document holder,**  
for roller cabs RSC24



### // 2400 RSC24/PC

**Paper roll holder**



# //RSC24

## MOBILE ROLLER CAB

- Multi-purpose top with anti-fall edges and eight holes for accommodating screwdrivers
- Drawer bases protected by foamed rubber mats
- Four castors Ø 125 mm: 2 fixed and 2 steering (one with brake)
- Each drawer can accommodate up to 4 EVA foam or ABS thermoformed trays
- Front centralized safety lock.
- Static load capacity: 800 kg.
- Built-in bottle holder (can be applied on both sides).

### The following accessories are INCLUDED:

- perforated tool panel 2400 RSC24/PF
- folding shelf 5000MS
- document holder 2400 RSC24//PD
- paper roll holder 2400 RSC24/PC

kg  
800




**NEW**



969 mm  
445 mm  
740 mm

+ accessories + accessories + accessories + accessories + accessories + accessories + accessories



//RSC24 7D FO

RSC24 7D A

RSC24 7D B


RSC24 7D G

RSC24 7D N

RSC24 7D O

RSC24 7D R

Ral 2011	Ral 7016	Ral 5015 Ral 7016	Ral 9006 Ral 7016	Ral 9005	Ral 2011 Ral 7016	Ral 3000 Ral 7016	£
024004830	024004837	024004836	024004832	024004839	024004831	024004833	£ 1.348,00 <b>£ 650,40</b>



024500005 **M05**  
~~£ 232,40~~ **£ 113,30**



**16**  
 42 6-7-8-9-10-11-12  
 13-14-15-16-17  
 18-19-20-21 mm

**1,5 kg**

024500050 **M50**  
~~£ 141,10~~ **£ 69,30**



**8**  
 ○ 96T 2-2,5-3-4-5  
 6-7-8 mm

**1,1 kg**

024500091 **M91 1/4"**  
~~£ 250,80~~ **£ 120,70**



**25**  
 ○ 900 4-4,5-5-5,5-6-7-8-9-  
 10-11-12-13-14 mm  
 ○ 900ME 2,5-3-4-5-6-8 mm  
 900/20 50 mm  
 900/21 150 mm  
 900/25 □ 1/4 - ■ 1/4  
 900BG/30  
 900/42  
 ⊕ 900/55

**560 g**

024500092 **M92 3/8"**  
~~£ 311,60~~ **£ 146,90**



**22**  
 ○ 910A 6-7-8-9-10-11-12  
 13-14-15-16-17-18  
 19-20-21-22 mm  
 910/21 125 mm  
 910/22 250 mm  
 910/25  
 910/42  
 ⊕ 910/55

**1,5 kg**

024500096 **M96 1/2"**  
~~£ 391,30~~ **£ 188,90**



**22**  
 ○ 920A/AS 3/8-7/16-1/2-9/16-  
 19/32-5/8-11/16-  
 3/4-25/32-13/16-  
 7/8-15/16-1-1.1/16-  
 1.1/18-1.3/16-1.1/4

920/25  
 920AN 125-250mm  
 920/42  
 ⊕ 920/55

**3,8 kg**

024500133 **M133**  
~~£ 91,80~~ **£ 44,10**



**3**  
 ∟ 1082G 160 mm  
 = 1150G 180 mm  
 ⊕ 1166G 160 mm

**650 g**

024500180 **M180**  
~~£ 99,20~~ **£ 47,30**



**7**  
 ⊕ 1290 3x75  
 4x100  
 5,5x150  
 6,5x150 mm  
 ⊕ 1292 PH0x60  
 PH1x80  
 PH2x100 mm

**500 g**

024500234 **M234**  
~~£ 128,60~~ **£ 63,00**



**4**  
 35 100-200 mm  
 1370 300 g  
 1390 Ø 35 mm

**1,3 kg**



NEW

# RSC22

## PORTABLE TOOL CHEST WITH 3 DRAWERS

Beta tool chest with 3 drawers (588x277 mm) with ball bearing slides:

- 1 drawer, 50 mm high
- 2 drawers, 70 mm high

Features:

- Front centralized lock
- Retractable side handles for ease of handling





£ 559,20 **£ 237,60**



Ral 2011	Ral 7016	Ral 3000
Ral 7016	Ral 7016	Ral 7016
022003001	022003007	022003003

n°	Max	Max
1	50 mm	25 kg
2	70 mm	25 kg



**19 kg**

# RSC23C

## PORTABLE TOOL CHEST WITH 8 DRAWERS

Beta tool chest with 8 drawers (588x277 mm) with ball bearing slides:

- 4 drawers, 50 mm high
- 3 drawers, 70 mm high
- 1 drawer, 100 mm high

Features:

- Front centralized lock
- Retractable side handles for ease of handling




£ 777,40 **£ 388,70**



Ral 2011	Ral 7016	Ral 3000
Ral 7016	Ral 7016	Ral 7016
023003011	023003017	023003013

n°	Max	Max
4	50 mm	25 kg
3	70 mm	25 kg



**28 kg**

# THE NEW RANGE OF BETA-BRANDED ANGLE GRINDERS

**Power, Reliability and Durability** are the three hallmarks of the new range, with the focus also being on maximum safety and ease of use for professionals.

**Outstanding performance:**

Powerful, resin-bonded, wear-resistant, durable motor  
Air vents providing optimal cooling, protected against dust infiltration

**Unparalleled safety for operators:**

Spindle lock device for quick disc changes  
Protection against accidental activation  
Smooth start, for limiting large initial inrush of current on start-up

**Unique comfort and ease of handling:**

Nonslip ergonomic handle for improved grip  
Lowered head that allows working in confined spaces  
Tangle-free cable no less than 4 metres in length for increased ease of movement  
Additional handle that can be mounted on both sides

Available for discs 115/125/230 mm in diameter, rated absorbed power ranging from 750 W to 2,400 W.

- Protection against accidental activation
- Additional handle that can be mounted on both sides
- Tool-less disc cover (quick release)
- Spindle lock device for quick disc changes
- Lock-on/off slide switch
- Air vents protected against dust infiltration and providing optimal cooling performance
- Service wrench included

**NEW**

019560011 1956 115-750W **750W**  
£ 54,10 £ 33,60

**Angle grinder for discs Ø 115 mm**

Ideal for cutting, grinding and roughing jobs

**Powerful motor (750 W)**

Nonslip ergonomic handle for increased comfort and safety

Lowered head that allows working in confined spaces

Extremely lightweight (**weighs no more than 1.8 kg**)

- Tool-less disc cover (quick release)
- Additional handle that can be mounted on both sides

**Technical data**

- Absorbed power: 750 W
- Voltage: 220-240 V / 50 Hz
- Disc diameter (disc not included): 115 mm
- Free speed: 11,000 rpm
- Tool spindle thread: M14
- Tangle-free cable length: 4 m
- Weight: 1.8 kg



019560230 1956 230-2400W **2400W**  
£ 142,20 £ 87,10

**Angle grinder for discs Ø 230 mm**

Ideal for complex shearing, grinding and filing jobs

**Powerful motor (2400 W)**

Nonslip ergonomic handle for increased comfort and safety


- **SOFT-START FUNCTION** for a smooth start and limiting large initial inrush of current on start-up
- **ANTI-VIBRATION**
- Spindle lock device for quick disc changes

**Technical data**

- Absorbed power: 2400 W
- Voltage: 220-240 V / 50 Hz
- Disc diameter (not included): 230 mm
- Free speed: 6,500 rpm
- Tool spindle thread: M14
- Tangle-free cable: 4 m
- Weight: 5.8 kg




**A36M STAINLESS STEEL**




Article No.	Diameter	Thickness	Bore
AB000760115	115	1,0	22,23
AB000760230	230	2,0	22,23

**A30M STAINLESS STEEL**




Article No.	Diameter	Thickness	Bore
AB000770115	115	3,2	22,23
AB000770233	230	3,0	22,23

**A240 STAINLESS STEEL**



Article No.	Diameter	Thickness	Bore
AB000780115	115	6,4	22,23
AB000780230	230	6,4	22,23



Article No.	Diameter	Grit	Type
AB001000504	115	40	Single-flap
AB001000506	115	60	Single-flap
AB001000508	115	80	Single-flap
AB001000512	115	120	Single-flap

001420175 **142C/A12**  
~~£ 248,70~~ **£ 120,70**

**Set of 12 ratcheting combination wrenches, straight short series**  
 in case

8-9-10-11-12-13-14  
 15-16-17-18-19 mm




010480923 **1048N/D3**  
~~£ 130,10~~ **£ 63,00** DIN ISO 8976

**Set of slip joint pliers**

*The improved geometry of the teeth - as subjected to induction hardening - ensures an effective, firm, safe, lasting hold for slip joint pliers 1048N. The grip quality, enhanced by a head profile synonymous with optimized ergonomic handling and functionality, sets Poligrip pliers 1048N apart from the conventional pliers available in the market. The peculiar slip joint provides optimal resistance to stress, while resulting in improved hexagon and pipe hold, based on eight adjustment options.*

Main features:

- Tooth geometry designed for better pipe and hexagon hold: up to 60 mm for the 300-mm size
- Wider head/handle angle for improved ergonomic handling
- Triangular section grip for a more comfortable contact surface
- Up to 8 adjustment options
- Tapered head allowing access to small spaces
- Case-hardened nail for improved wear resistance
- Contrast retainer preventing accidental hand crushing
- Phosphated finish
- Slip-proof PVC handles
- Made from chrome-vanadium steel
- Complies with DIN ISO 8976



**UP TO 60 mm  
 FOR THE  
 300 mm SIZE**

	L mm	A Max mm	L1 mm	S mm	g
<b>1048N 175</b>	175	36	31	11	189
<b>1048N 250</b>	250	46	38	13	354
<b>1048N 300</b>	300	60	44	14,8	554




**NEW**



010310000 **1031/S4**  
~~£ 113,30~~ **£ 54,60**

Set of 4 circlip pliers



1036 175 mm  
 ● 19 ÷ 60 mm



1032 180 mm  
 ○ 19 ÷ 60 mm



1038 175 mm  
 ● 19 ÷ 60 mm



1034 170 mm  
 ○ 19 ÷ 60 mm



011690073 **1169G/D3**  
~~£ 77,20~~ **£ 36,80**

Set of 1 combination pliers, 1 long needle nose pliers and 1 diagonal cutting nippers, slip-proof double layer PVC, industrial finish

THE DECENTRALIZED PIN ALLOWS THE FULCRUM TO BE CLOSER TO THE CUTTING POINT, THEREBY RESULTING IN AN IMPROVED LEVER EFFECT.



1166G 160 mm



1082G 160 mm



1150G 180 mm



008600902 **860MIX/A31** 1/4  
~~£ 97,10~~ **£ 42,00**

Set of 30 bits with magnetic bit holder in plastic case



● 860LP 0,5x3 - 0,6x4,5 - 0,8x5,5  
 1,0x5,5 - 1,2x6,5 mm

○ 860PE 2-2,5-3-4-5-6-8-10 mm

⊕ 860PH PH0 - PH1 - PH2 - PH3 - PH4

⊗ 860RTX T9-T10-T15-T20-T25-T27-T30-T40

⊕ 860PZ PZ1 - PZ2 - PZ3 - PZ4

⚙ 882MSR/50 ○ 1/4 ● 1/4



# Beta **evor**

## THE EVOLUTION OF THE SCREWDRIVER!



**The ergonomic design** fits the palm of the hand perfectly. The large contact surface makes it possible to transmit maximum force with minimum effort.

● Beta's tried-and-tested blades ensure unique elasticity, hardness and wear resistance, for top-end professional tools.

● **The octagonal section** prevents any bothersome rolling on the worktop.

● New thermoplastic rubber makes each use including heavy-duty ones even more comfortable.

● The style and size of the tip is printed on the round cap for quick identification.

● **The precision area** allows the screwdriver to be quickly rotated between the fingers.

● The brand-new hole on the handle allows the screwdriver to hang for easy storage.



012031003 **1203E/D5PZ** ● ⊕  
~~£ 29,90~~ **£ 15,80**

**Set of 5 screwdrivers**  
 1201E ● 0,5x3x75-0,8x4x125  
 1,0x5,5x150 mm  
 1209E/PZ ⊕ PZ1x4,5x80-PZ2x6x100 mm

012071207 **1207E/TX-D7** ● ⊕  
~~£ 46,20~~ **£ 22,10**


**Set of 7 screwdrivers**  
 1207E/TX ⊕ T6-T8-T10-T15  
 T20-T25-T30

012031010 **1203E/D10** ● ⊕  
~~£ 65,60~~ **£ 31,50**

**Set of 10 screwdrivers**  
 1201E ● 0,4x2,5x50-0,5x3x75-0,8x4x100-1,0x5,5x100  
 1,2x6,5x150-1,2x8x150 mm  
 1202E ⊕ PH0x3x60-PH1x4,5x80  
 PH2x6x100-PH3x8x150 mm

012031019 **1203E/D10N** ● ⊕  
~~£ 59,30~~ **£ 27,30**

**Set of 10 screwdrivers**  
 1201E ● 0,4x2,5x50-0,5x3x75-0,8x4x100  
 1,0x5,5x150-1,2x6,5x150 mm  
 1201EN ● 0,8x4x30 mm  
 1202E ⊕ PH0x3x60-PH1x4,5x80-PH2x6x100 mm  
 1202EN ⊕ PH1x4,5x30 mm



008550010 **855P**

~~£ 93,90~~ **£ 45,20**

**Reversible ratchet bit holder with articulated handle, and 7 built-in bits**

- 60 degree handle for increased comfort in heavy duty jobs
- Removable quick-release bit holder extension bar
- Bit holder plug with 7 built-in bits



009000882 **900/55Z**

**1/4"**

~~£ 54,60~~ **£ 26,30**

**1/4" drive reversible ratchet, 72 tooth mechanism**



**5° TAKE-UP ANGLE**

**NEW 72 TOOTH MECHANISM MORE COMPACT RATCHET HEAD**

**15 teeth in contact with gear at all times**



L mm	Ø mm	A mm	■
126	25	23	1/4




009100884 **910/58**

**3/8"**

~~£ 102,30~~ **£ 48,30**

**3/8" drive reversible ratchet with rotating handle, 52 tooth mechanism**

- Operating system with rotating handle
- Socket release button
- Ring nut reversal system on ratchet head
- Bi-material handle



L mm	Ø mm	A mm	■
222	37	38,5	3/8



009200882 **920/55** 1/2"  
~~£ 83,40~~ **£ 37,80**

**1/2" drive reversible ratchet, 72 teeth**  
 Take-up angle: 5°



L mm	Ø mm	A mm	■
275	40	43	1/2

009280862 **928/55** 3/4"  
~~£ 205,70~~ **£ 102,90**


**3/4" drive reversible ratchet, 72 teeth**  
 Take-up angle: 5°



L mm	Ø mm	A mm	■
510	58	59	3/4

009290860 **929/55** 1"  
~~£ 239,20~~ **£ 123,80**

**1" reversible ratchet 72 teeth**  
 Take-up angle: 5°



L mm	Ø mm	A mm	■
770	62	63	1"

009510696 **951/SP6**  
~~£ 195,20~~ **£ 89,20**

**Set of 6 T-handle wrenches with three hexagon male ends**  
 with support  
 O 3-4-5-6-8-10 mm



009031042 **903E/C42**  
~~£ 183,40~~ **£ 43,10** **1/4"**

Assortment of 13 hexagon sockets,  
 18 bits, 4 offset hexagon key wrenches  
 and 7 accessories,  
 in plastic case

	C900	○	4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
	900E/55	⊕	
	C900/25		
	C900/20		50 mm
	C900/20L		100 mm
	C900/42		115 mm
	C900/30		150 mm
	96	○	1,3-1,5-2-2,5 mm
	C900AD	⊗ 1/4"	
	861LP	⦿	⊗ 0,6x4-0,8x5,5-1,2x6,5 mm
	861PH	⊕	⊗ PH1-PH2-PH3
	861PZ	⊕	⊗ PZ1-PZ2-PZ3
	861PE	○	⊗ 3-4-5-6 mm
	861TX	⊗	⊗ T10-T15-T20-T25-T30



190x160x60 mm

009131033 **913E/C33**  
~~£ 172,60~~ **£ 63,00** **3/8"**

Assortment of 28 hexagon sockets  
 and 5 accessories,  
 in plastic case







	C910A	○	6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24 mm
	C910AL	○	8-9-10-12-13-14-17-19 mm
	C956E	○	16 mm (5/8") 21 mm (13/16")
	910E/55	⊕	
	C910/25		
	C910/21		75 mm
	C910/22		150 mm
	C920/15F	□	1/2" - 3/8"



285x210x84 mm

009231025 **923E/C25**  
~~£ 206,90~~ **£ 57,70** **12"**

Assortment of 20 hexagon sockets and 5 accessories, in plastic case






	<b>C920A</b>	○ 8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm
	<b>920E/55</b>	⊗
	<b>C920/25</b>	
	<b>C920/21</b>	125 mm
	<b>C920/22</b>	250 mm
	<b>C910/16F</b>	□ 3/8" - ■ 1/2"



≡ 285x210x84 mm

009282017 **928E/C17**  
~~£ 596,90~~ **£ 220,30** **3/4"**

Assortment of 12 hexagon sockets and 5 accessories, in plastic case

	<b>C928A</b>	○ 22-24-27-30-32-34-36-38-41-46-50-55 mm
	<b>C928/55</b>	⊗
	<b>C928/25</b>	
	<b>C928/21</b>	100 mm
	<b>C928/22</b>	200 mm
	<b>C928/42</b>	455 mm



≡ 555x370x92 mm

009031170 **903E/C170**  
~~£ 632,60~~ **£ 230,80**

**1/4" 3/8" 1/2"**

Assortment of 74 hexagon sockets,  
 42 bits, 30 socket drivers,  
 7 offset hexagon key wrenches  
 and 17 accessories, in plastic case

453x375x90 mm



**1/4"**

	<b>C900</b>	○	4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
	<b>C900L</b>	○	4-5-6-7-8-9-10 mm
	<b>900E/55</b>	⊗	
	<b>C900/25</b>		
	<b>C900/20</b>		50 mm
	<b>C900/20L</b>		100 mm
	<b>C900/30</b>		150 mm
	<b>C900/42</b>		115 mm
	<b>C900FTX</b>	⊗	E4-E5-E6-E7-E8
	<b>C900LP</b>	●	0,8x4-1,0x5,5-1,2x6,5-1,2x8 mm
	<b>C900PH</b>	⊕	PH0-PH1-PH2
	<b>C900PZ</b>	⊕	PZ0-PZ1-PZ2
	<b>C900ME</b>	○	3-4-5-6 mm
	<b>C900TX</b>	⊗	T08-T09-T10-T15-T20-T25-T27-T30
	<b>C900RTX</b>	⊗	T08-T09-T10-T15-T20-T25-T27-T30

**3/8"**

	<b>C910A</b>	○	10-11-12-13-14-15-16-17-18-19 mm
	<b>C910AL</b>	○	10-11-12-13-14-15 mm
	<b>C910FTX</b>	⊗	E10-E11-E12-E14-E16
	<b>C956E</b>	○	18 mm (11/16")
	<b>910E/55</b>	⊗	
	<b>C910/25</b>		
	<b>C910/22</b>		150 mm

**1/2"**

	<b>C920A</b>	○	10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32 mm
	<b>C920L</b>	○	16-17-18-19-22 mm
	<b>C920FTX</b>	⊗	E18-E20-E24
	<b>C956C</b>	○	16 mm (5/8") - 21 mm (13/16")
	<b>920E/55</b>	⊗	
	<b>C920/25</b>		
	<b>C920/21</b>		125 mm
	<b>C920/22</b>		250 mm
	<b>C910/16F</b>	□ 3/8" - ■ 1/2"	

	<b>96</b>	○	0,9-1,5-2-2,5-3-4-5 mm
	<b>C895/4</b>	□ 3/8" - ○ 5/16"	
	<b>C895/6</b>	□ 1/2" - ○ 5/16"	
	<b>C900AD</b>	⊗ - ⊗	
	<b>892/0</b>	⊗ - ⊗	
	<b>861RTX</b>	⊗	T09-T10-T15-T20-T25-T27-T30-T40
	<b>861TX</b>	⊗	T6-T7-T8
	<b>861RIBE</b>	⊗	7-8-9 mm
	<b>861XZN</b>	○	5-6-8 mm
	<b>C866LP</b>	●	1,6x8-1,6x10-2,0x12 mm
	<b>C866PH</b>	⊕	PH3-PH4
	<b>C866PZ</b>	⊕	PZ3-PZ4
	<b>866PE</b>	○	7-8-10-12-14 mm
	<b>866TX</b>	⊗	T40-T45-T50-T55-T60-T70
	<b>866RTX</b>	⊗	T40-T45-T50-T55-T60-T70

020470008 **2047E/C108-21**  
£ 796,20 **£ 362,00** 1/4" 12"

Tool case with assortment  
of 108 general maintenance tools,  
in plastic case

**108+**



**860EA/31**

⊖	861LP	0,5x3-0,6x4,5-0,8x5,5-1,0x5,5-1,2x6,5-1,6x8 mm
⊕	861PH	1-2-3
⊕	861PZ	1-2-3
○	861PE	2-3-4-5-6-8 mm
⊖	861TX	T8-T9-T10-T15-T20 T25-T27-T30-T40
○	861PQ	1-2-3 mm
⊖	882M1	○ 1/4 - ● 1/4

**1/4"**

	C900	○	4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
	900E/55	⊕	
	C900/25		
	C900/20		50 mm
	C900/20L		100 mm
	C900/30		150 mm
	C900/42		115 mm

555x370x92 mm

**12"**

	C920A	○	10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32 mm
	C956C	○	16 mm (5/8") - 21 mm (13/16")
	920E/55	⊕	
	C920/25		
	C920/21		125 mm
	C920/22		250 mm
	C910/16F	□ 3/8" - ■ 1/2"	

	C900AD	⊕ 1/4"	
	42C	⊖	7-8-9-10-11-12-13-14-15-16-17-18-19 mm
	96/SC9	○	1,5-2-2,5-3-4-5-6-8-10 mm
	1048		250 mm
	1082CM	⊖	160 mm
	1150CM	≡	180 mm
	1166CM	●	160 mm
	1201E	●	3x75-4x100-5,5x125 6,5x150mm
	1202E	⊕	PH1-PH2
	1370C		300 g



020540002 **2054E-128**  
£ 737,50 **£ 346,20**

**1/4" 3/8"**

**Tool case with assortment of 128 general maintenance tools**  
• Integrated soft foam tray

**128**



400x300x140 mm



**860EA/31**

861LP	0,5x3-0,6x4,5-0,8x5,5-1,0x5,5-1,2x6,5-1,6x8 mm
861PH	1-2-3
861PZ	1-2-3
861PE	2-3-4-5-6-8 mm
861TX	T8-T9-T10-T15-T20 T25-T27-T30-T40
861PQ	1-2-3 mm
882M1	○ 1/4 - ● 1/4



**1256/C21-1**

1256LP	1,5-2-2,5 mm
1256PH	PH0-PH1
1256PZ	PZ0-PZ1
1256PE	0,7-0,9-1,3-1,5-2-2,5-3 mm
1256TX	T4-T5-T6-T7
1256RTX	T8-T10-T15
	4 mm 99 mm



	42C	7-8-9-10-11-12-13-14-15-16-17-19 mm
	96K/SP9	1,5-2-2,5-3-4-5-6-8-10 mm
	1048C	250 mm
	1082CM	160 mm
	1150CM	180 mm
	1166CM	160 mm
	1201E	3x75-5,5x100-6,5x150 mm
	1202E	PH0x60-PH1x80-PH2x100 mm
	1128BMXC	150 mm
	1370C	300 g
	1692/3	3 m
	1771	3x 18 mm
	1771RL	10x
	1833XS/2	133 mm Batteries: 2xAAA (not included)

**1/4"**

	895 /1	○ 1/4 - □ 1/4
	C900	○ 4-4,5-5-5,5-6-7-8-9-10-11-12-13 mm
	C900/20L	100 mm
	C900/25	
	C900/30	150 mm
	C900/42	115 mm
	C900/48	150 mm

**3/8"**

	C910A	○ 14-15-17-18-19-22-24 mm
	C910/22	150 mm
	C910/25	
	C910/72	200 mm
	C920/15F	□ 1/2" - ■ 3/8"



021200911 **2120L-E/T91**  
£ 786,80 **£ 314,70** **12"**

**Cantilever tool box with assortment of 91 general maintenance tools, made of sheet metal**  
• Integrated ABS thermoformed tray

**91+**



550x200x210 mm



<b>42C</b>		8-9-10-11-12-13-14-15-16-17-19 mm	<b>20</b>
<b>96K/SP9</b>		1,5-2-2,5-3-4-5-6-8-10 mm	



<b>1202E</b>		2,5x50-3x75-4x100-5,5x125-6,5x150 mm	<b>6</b>
<b>1202EN</b>		4x30 mm	



<b>860EA/31</b>			<b>37</b>
<b>C900AD</b>			
<b>C900/30</b>		150 mm	
<b>1202E</b>		PH0x60-PH1x80-PH2x100 mm	
<b>1202EN</b>		PH1x30 mm	



<b>1082CM</b>		160 mm	<b>3</b>
<b>1150CM</b>		180 mm	
<b>1166CM</b>		160 mm	

**12"**



<b>C920A</b>		10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm	<b>20</b>
<b>C920/72</b>		250 mm	
<b>C920/25</b>			



<b>C920/21</b>		125 mm	<b>5</b>
<b>C920/22</b>		250 mm	
<b>C910/16F</b>		□ 3/8" - ■ 1/2"	
<b>1048C</b>		250 mm	
<b>1771</b>		3x 18 mm	

// 7579T

£ 85,00 **£ 38,90**

**Sleeveless work jacket, multipocket style**

- Main fabric: 100% 300D nylon, waterproof, durable
- Inserts for ease of movement: 95% polyester-5% stretch fabric, waterproof
- Lining: 100% polyester
- Padding: polyester 140 g/m<sup>2</sup>

S	075790001
M	075790002
L	075790003
XL	075790004
XXL	075790005
XXXL	075790006

BLACK



// 7665G

£ 63,00 **£ 29,40**

**Hoodie, long-zipped**

- 60% cotton, 40% polyester, 280 g/m<sup>2</sup>
- Stretch cuffs
- Two large waist pockets with zip closure
- Chest pocket with vertical zip closure
- Fixed hood with round drawcords

XS	076650100
S	076650101
M	076650102
L	076650103
XL	076650104
XXL	076650105
XXXL	076650106

GREY



TOP  
line

NEW



// 7664G

£ 57,70 **£ 27,30**

**Sweatshirt, long-zipped**

- 60% cotton, 40% polyester, 280 g/m<sup>2</sup>
- Stretch cuffs
- Two large waist pockets with zip closure
- Chest pocket with vertical zip closure

XS	076640100
S	076640101
M	076640102
L	076640103
XL	076640104
XXL	076640105
XXXL	076640106

GREY



TOP  
line

**//7816G**

~~£ 104,40~~ **£ 45,20**



**Work trousers, multipocket style**

- T/C canvas, 65% polyester, 35% cotton, 260 g/m<sup>2</sup>
- Knee pad pockets and leg bottoms reinforced in polyester 600D
- Tearproof crotch
- Higher waist in rear part for increased back protection
- Stretch rear insert for easier movements
- Stretch waistband on sides
- Two large front pockets, one with small pocket
- Two rear pockets with press-stud closure
- Large side pockets with press-stud closure, one with badge insert
- Hammer loop



**SLIM FIT**

XS	078160000
S	078160001
M	078160002
L	078160003
XL	078160004
XXL	078160005
XXXL	078160006

**//7218FN**

~~£ 103,40~~ **£ 49,40**

**Action nubuck ankle shoe, water-repellent, with anti-abrasion insert in toe cap area and quick opening system**

- Composite toe cap
- Composite fibre penetration proof insole



EU	UK	Product Code
35	2,5	072180035
36	3,5	072180036
37	4,5	072180037
38	5	072180038
39	6	072180039
40	6,5	072180040
41	7	072180041
42	8	072180042
43	9	072180043
44	10	072180044
45	10,5	072180045
46	11	072180046
47	12	072180047
48	13	072180048

**S3 RS SRC**

**EN ISO 20345 2011**



**510 g**

**//7243CK**

~~£ 64,00~~ **£ 27,30**

**Leather ankle shoe, water-repellent, with quick opening system**

- Steel toe cap
- Composite fibre penetration proof insole

EU	UK	Product Code
35	2,5	072431335
36	3,5	072431336
37	4,5	072431337
38	5	072431338
39	6	072431339
40	6,5	072431340
41	7	072431341
42	8	072431342
43	9	072431343
44	10	072431344
45	10,5	072431345
46	11	072431346
47	12	072431347
48	13	072431348

**S3 RS SRC**

**EN ISO 20345 2011**



**640 g**

**//7294HN**

£ 203,00 **£ 94,50**

Nubuck ankle shoe, waterproof, with **SUPPORT SYSTEM** for lateral ankle support and quick opening system  
Durable rubber tread and PU toe cap  
**Wide body**

- Steel toe cap
- Composite fibre penetration-proof insole

EU	UK	
39	6	072940839
40	6,5	072940840
41	7	072940841
42	8	072940842
43	9	072940843
44	10	072940844
45	10,5	072940845
46	11	072940846
47	12	072940847



**S3 HRO HI RS SRC**

**EN ISO 20345 2011**



**650 g**

**//7357G**

£ 183,10 **£ 78,70**

**O-Gravity** ankle shoe, ultralightweight, made of water-repellent microfibre

- Carbon fibre toe cap
- Composite fibre penetration-proof insole

EU	UK	
38	5	073570038
39	6	073570039
40	6,5	073570040
41	7	073570041
42	8	073570042
43	9	073570043
44	10	073570044
45	10,5	073570045
46	11	073570046
47	12	073570047
48	13	073570048



**Beta**  
**O-Gravity**



**480 g**

**S3 HRO SRC**

**EN ISO 20345 2011**



**//7321NA**

£ 101,80 **£ 47,30**

Nubuck shoe, water-repellent, with quick opening system and antiabrasion reinforcement in toe cap area

- Composite toe cap
- Composite fibre penetration-proof insole

EU	UK	
35	2,5	073210435
36	3,5	073210436
37	4,5	073210437
38	5	073210438
39	6	073210439
40	6,5	073210440
41	7	073210441
42	8	073210442
43	9	073210443
44	10	073210444
45	10,5	073210445
46	11	073210446
47	12	073210447
48	13	073210448



**S3 RS SRC**

**EN ISO 20345 2011**



**570 g**

**//7423**

~~£12,80~~ **£ 5,80**

**Elastic compression ankle-length socks**

**Features:**

- Nylon and cotton reinforcements on sole and heel area
- Anatomically shaped cuff
- Non-restrictive elastic
- Sole made from natural terry bamboo fibre



**M 39-42 074230002**  
**L 43-46 074230004**

**Advantages of bamboo fibre**

- Antimicrobial and antibacterial
  - Odour-free
- Humidity and sweat absorbing
- Harder wearing than cotton
- Maintains a proper body temperature
- Lightweight and breathable

**//7429**

~~£18,60~~ **£ 5,10**

**Maxi sneaker socks with breathable texture inserts**

**Features:**

- Nylon and cotton reinforcements on sole and heel area
- Anatomically shaped cuff
- Elastic support at instep
- Sole made from nylon woven with natural bamboo fibre



**M 39-42 074290002**  
**L 43-46 074290004**

**//7425**

~~£12,80~~ **£ 5,80**

**Ankle-length socks with breathable texture inserts**

**Features:**

- Nylon and cotton reinforcements on sole and heel area
- Anatomically shaped cuff
- Non-restrictive elastic
- Sole made from natural terry bamboo fibre



**M 39-42 074250002**  
**L 43-46 074250004**

# // 8143 EN13157

## Hand chain blocks

- Professional model, made of first-rate materials
- Automatic brake with double pawl system
- Swivel hook with safety latch



**081430105 8143 0,5T**  
~~£ 287,50~~ **£ 143,80**

WLL t	L m	<b>8,5 kg</b>
0,5	6	

**081430110 8143 1T**  
~~£ 324,20~~ **£ 162,10**

WLL t	L m	<b>12 kg</b>
1	6	

**081430120 8143 2T**  
~~£ 457,40~~ **£ 228,70**

WLL t	L m	<b>19,5 kg</b>
2	6	

**081430130 8143 3T**  
~~£ 649,40~~ **£ 324,70**

WLL t	L m	<b>21,5 kg</b>
3	6	

**081430150 8143 5T**  
~~£ 923,20~~ **£ 461,60**

WLL t	L m	<b>38 kg</b>
5	6	

# // 8146 EN13157

## Lever hoists

- Professional model, complies with EN13157 standard, easy to install and use.
- Automatic brake with double pawl system for optimized safety.
- Swivel hook with safety latch.



USER-FRIENDLY, SAFE

**081460008 8146 0,75 T**  
~~£ 217,20~~ **£ 108,60**

WLL t	L m	<b>6,7 kg</b>
0,75	1,5	


**081460015 8146 1,5 T**  
~~£ 318,90~~ **£ 159,50**

WLL t	L m	<b>11,2 kg</b>
1,50	1,5	

**081460030 8146 3 T**  
~~£ 438,50~~ **£ 219,30**

WLL t	L m	<b>18,5 kg</b>
3	1,5	


# // 8182 Ratchet tie down with single hook, LC 2000kg high-tenacity polyester (PES) belt



	L mm	L2 mm	L1 mm		£
<b>8182 4,5</b>	4,5	4100	400	081820045	<del>£ 29,40</del> <b>£ 14,70</b>
<b>8182 6,5</b>	6,5	6100	400	081820065	<del>£ 41,50</del> <b>£ 20,80</b>
<b>8182 8,5</b>	8,5	8100	400	081820085	<del>£ 47,30</del> <b>£ 23,70</b>
<b>8182 10,5</b>	10,5	10100	400	081820105	<del>£ 58,40</del> <b>£ 25,20</b>
<b>8182 14,5</b>	14,5	14100	400	081820145	<del>£ 59,30</del> <b>£ 29,70</b>
<b>8182 16,5</b>	16,5	16100	400	081820165	<del>£ 61,90</del> <b>£ 31,00</b>

# // 8188F Cam buckle straps, LC 200 kg, high-grade polypropylene (PP) belt

- 1,5 m
- 2,0 m
- 2,5 m
- 3,0 m
- 5,0 m



LC = 200 kg

LC = 100 kg

EN 12195-2

	L mm		£
<b>8188F 1,5</b>	1,5	081880215	<del>£ 3,20</del> <b>£ 1,60</b>
<b>8188F 2</b>	2	081880220	<del>£ 3,60</del> <b>£ 1,80</b>
<b>8188F 2,5</b>	2,5	081880225	<del>£ 4,00</del> <b>£ 2,00</b>
<b>8188F 3</b>	3	081880230	<del>£ 4,20</del> <b>£ 2,10</b>
<b>8188F 5</b>	5	081880250	<del>£ 5,30</del> <b>£ 2,70</b>

# Beta R50

NEW

Ø67mm



ZOOM LENS EF-S 18-135



# Beta

winning, together

**Fabio Quartararo**  
MotoGP World Champion 2021



998015783



8

Beta Tools (UK) Limited | Unit D - Horton Enterprise Park  
Hortonwood 50, Telford | Shropshire, TF1 7GZ  
Sales: Tel. (01952) 677977

[www.beta-tools.co.uk](http://www.beta-tools.co.uk) | [sales@beta-tools.com](mailto:sales@beta-tools.com)

The images are for reference only. Beta Utensili S.p.A. reserves the right to update and upgrade its product range without notice.